

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Sylvia Staples	Licence Number 2004306	Inspection Date November 23, 2021
Facility Name Mrs. Sylvia's Preschool		Telephone Number (506) 440-4333
Address 34 McMurtrie Avenue New Maryland NB E3C 1G7		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. Comments: Deficiency is now compliant	33(2)	Nov 29, 2021	Nov 23, 2021
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant	39(2)(a)	Nov 23, 2021	Nov 23, 2021

General Comments

Licensing staff arrived at the licensed Early Learning and Care Home while the children were arriving for the day.

Licensing staff was screened for Covid-19 by signing into the licensed ELC home.

The licensed facility 's indoor and outdoor play spaces are lovely, welcoming and inviting. Licensing staff observed multiple pieces of documentation of learning posted on the walls for the children to re-visit the learning experiences.

On the day of the visit only the preschool children were present at the licensed facility and the operator did not expect any school-aged children later in the afternoon.

The operator was very engaged with the children while the children explored the multiple invitations of play that the operator arranged for the children. licensing staff observed lots of rich dialog between the children and the operator.

While conducting the licensing inspection, licensing staff noted that Lysol wipes present in the bathroom and the indoor play space; even though the Lysol wipes were up high and out of the children's reach, they are required to be secured in a cabinet or closet locked with a lock and key. When this was brought to the attention of the operator, the operator removed the Lysol wipes and locked them up with the other cleaning supplies while licensing staff was still on site.

General Comments

While conducting the licensing inspection visit, licensing staff noted that the slide does not have any protective surfacing according to the manufacturer's manual. When this was brought to the attention of the operator, the operator removed the piece of play equipment from the outdoor play space while licensing staff was still on site.

original signed by
Tanya Gaudet

Signature of Early Learning and Childcare Licensing Staff

November 23, 2021

Date

original signed by
Sylvia Staples

Signature of Operator/Designate

November 23, 2021

Date