

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the Early Childhood Services Act, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date		
GRAND BAY BAPTIST CHURCH INC		2005624				January 02, 2024		
Facility Name						Telephone Number		
GRAND BAY TINY TREASURES LEARNING CENTRE						(506) 738-2766		
Address								
77 Woolastook Drive Grand Bay-Westfield NB E5K 1S3								
Name of Early Learning and Childcare Licensing Staff			Position Title					
Jodi Hennessey			Inspector					
Order for Compliance			Regula		Date to be corrected		Date corrected	
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.			28(3)(a) Jan (Jan 0	5, 2024		
Comments: Downstairs Preschool: *Cabinet under change table door broken, to be fixed. * Cabinet under sink door broken, to be fixed.								
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.		antity for	32(1)(a) Dec		Dec 2	2, 2023	Jan 03, 2024	
Comments:								
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility, Comments: Upstairs Preschool: * Creative art materials are in a cabinet out of the reach			32(1)(l	,	Dec 2	2, 2023	Jan 03, 2024	
Downstairs Preschool: * Creative art materials are in a cabinet out of the reach of children.								

Discussed with Administrator during inspection having materials available and accessible to the children at all

Original comply by date of December 22, 2023. Discussed with Assistant Administrator and Educators during

times but also used under direct supervision.

inspection.

Order for Compliance	Regulation	Date to be corrected	Date corrected			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Dec 22, 2023	Jan 02, 2024			
Comments: Deficiency is now compliant						
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; 39(2)(a) Dec 12, 2023 Jan 02, 2024						
Comments: Deficiency is now compliant						

General Comments

A follow up inspection occurred today. There are two orders for compliance that are still outstanding. It is the expectation that orders for compliance are completed by their comply by date.

During follow up inspection, it was also noted the doors to be cabinet under the sink and change table downstairs were broken. These were added to the follow up inspection report.

An additional visit to the centre will occur to ensure compliance.

The surfacing under the stationary equipment in the fenced in play yard will be followed up by the Quality Assurance Monitor in the spring to ensure sufficient surfacing is installed.

"Creative art materials are to be available and accessible to the children. Placing them in clear, covered containers on the shelf for the children to access at any time. Some items such as google eyes and small pompoms can be added to these containers as well. Children can use these under direct supervision by an Educator" (Taken from renewal inspection conducted on December 12, 2023.)

original signed by				
Jodi Hennessey	January 02, 2024			
Signature of Early Learning and Childcare Licensing Staff	Date			
original signed by Alesha Cleghorn		January 02, 2024		
Signature of Operator/Designate	Date	04/144/y 02, 202 i		