

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Preschool Centre Inc.	Licence Number 2005777	Inspection Date May 19, 2023	
Facility Name Montgomery Street Afterschool		Telephone Number (506) 476-2066	
Address 860 Grandame Street Fredericton NB E3B 3Z8			
Name of Early Learning and Childcare Licensing Staff Megan Munden		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 08, 2023	
Comments: The corner of the wall where the water leaked must be repaired and painted.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 08, 2023	
Comments: The small metal piping that is in the middle of the pavement area must be removed as it appears rusty and could pose as a tripping hazard. The educators currently have outdoor furniture over it to prevent any accidents.			

General Comments
<p>The group has been doing activities and projects surrounding kindness for the last month. A kindness tree, compliment box, kindness poster and kindness bingo were planned for the children.</p> <p>The educators shared with licensing staff that during the late winter there were leaks in two rooms. Neither licensing staff nor Public Health were notified when the leak occurred. Please contact both departments in the event of leaks.</p> <p>A humidifier was running in the main room at the top of the stairs. The paint was peeled on a vertical section of wall. While on site, licensing staff contacted Public Health for next steps required. When possible, open the windows and keep the dehumidifier running to keep air moving. The vertical piece of wall needs to be repaired and painted. Additional general information about leaks and air quality shared by Public Health will be sent by licensing staff to the administrator.</p> <p>While waiting for the children to arrive, the educator prepared the outdoor play space with materials for later in the afternoon- bubbles, chalk, badminton racquets and birdies were placed outdoors. Wooden bins are also outdoors for additional materials to remain outdoors- balls and skipping ropes. Planned programming was also implemented outside- children could create a stick puzzle and work on a collaborative art mural.</p> <p>Before snack, children had free time. Children were playing board games, making a craft, playing Barbies. Educators remained engaged with the children asking them about their day at school. Child guidance remained positive throughout the inspection and educators used redirection and reminders when needed.</p>

General Comments

Snack was trail mix, apples, bananas and water. The correct menu was posted on the parent information board. Children were offered additional servings if still hungry.

original signed by  
Megan Munden

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

May 19, 2023

\_\_\_\_\_  
Date

original signed by  
Kristine Shuttensbeld

\_\_\_\_\_  
Signature of Operator/Designate

May 19, 2023

\_\_\_\_\_  
Date