

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator L		Licence Number			Inspection Date			
· ·		2006415	5		February 04, 2025			
Facility Name					Telephor	ne Number		
BGCCC After School Program			1		(506) 466-4300			
Address								
54 Disher Lar	ne Dufferin Charlotte Co NB E3L 3H7							
Name of Early Learning and Childcare Licensing Staff			Position Title					
Kiesha Cobbett			Inspector					
Order for Com	for Compliance		Regulation	Date		Date corrected		
educators are a	11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;		11(a)	Feb ()4, 2025	Feb 04, 2025		
Comments: Review of Staff Files: One staff member without a valid first aid. Staff member cannot be left alone with children. Administrator to send to inspector once obtained. Deficiency is now compliant								
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iv) to explore the arts and sciences.			21(c)(iv)	Feb 04, 2025 F		Feb 04, 2025		
Comments:	Pod Two: No science materials available. Materials to be microscope. Etc. Administrator to refer to Appethe Operators Manual. Deficiency is now comp	endix 24- Ed						
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.			24(1)(c)(vii) Feb (04, 2025	Feb 04, 2025		
Comments:	Review of Staff Files: One staff member without a valid first aid. Staf send to inspector once obtained. Deficiency is			eft alone	with childre	n. Administrator to		
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.		28(3)(a)	Feb (04, 2025	Feb 04, 2025			
Comments:	Pod One: Paint peeling. To be painted. Deficiency is now compliant							
	Washroom: Foot stool dirty. To be cleaned. Deficiency is now compliant Heater rusted. To be painted. Deficiency is now compliant							

Order for Compliance			Date to be corrected	Date corrected				
materials and eq	or of a licensed facility shall provide indoor play area quipment that are (a) varied and in sufficient quantity for ages of the children receiving services at the licensed	32(1)(a)	Feb 04, 2025	Feb 04, 2025				
Comments:	Varity of material depleted. Materials to be added but not limited to: Art materials, science materials, blocks and construction materials, and dramatic play materials. Administrator to refer to Appendix 24- Equipment and Materials for School-age Children of the Operators Manual. Deficiency is now compliant							
	or of a licensed facility shall provide indoor play area quipment that are (d) clean and in good repair.	32(1)(d)	Feb 04, 2025	Feb 04, 2025				
Comments:	Pod One: Art shelf unsteady. To be fixed or discarded. Deficiency is now compliant Grey carpet in reading area corner lifting causing a tripping hazard. To be fixed or replaced. Deficiency is now compliant Clear puzzles containers broken. To be discarded and replaced. Deficiency is now compliant Pod Two: Couch stained. To be covered or replaced. Deficiency is now compliant							
Black chairs stained. To be covered or replaced. Deficiency is now compliant								
50(1) An operator of a licensed facility shall maintain a chronologically filed daily incident log relating to the health, security and well-being of the children receiving services at the licensed facility.			Feb 04, 2025	Feb 04, 2025				
Comments:								
General Comm	nents							
A follow-up ins	pection occurred today.							
All deficiencies	are now compliant.							
Facility is recor	mmended for licensing.							
0	original signed by Kiesha Cobbett		February 05, 2025					
Signature of E	arly Learning and Childcare Licensing Staff	Date						
	original signed by Courtney Noddin		oruary 05, 2025					
Signature of Operator/Designate		Date						