

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator BRIDGE STREET CHILDREN'S ACADEMY INC.	Licence Number 2006855	Inspection Date December 05, 2019
Facility Name BRIDGE STREET AFTER SCHOOL ACADEMY		Telephone Number (506) 536-1066
Address 148 Bridge St Sackville NB E4L 3P7		
Name of Early Learning and Childcare Licensing Staff Janice Gauvin-Léger		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Nov 22, 2019	Dec 05, 2019
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (i) menu plans and any substitutions.	24(1)(i)	Nov 22, 2019	Dec 05, 2019
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (a) the daily routine.	25(a)	Nov 22, 2019	Dec 05, 2019
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (b) the weekly menus.	25(b)	Nov 22, 2019	Dec 05, 2019
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Nov 22, 2019	Dec 05, 2019
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Nov 22, 2019	Dec 05, 2019
Comments: Deficiency is now compliant			
48(3) An operator of a licensed facility shall provide weekly menus to a parent or guardian of a child at least three days in advance of serving the food and shall modify the food served in the case of special nutritional requirements of a child.	48(3)	Nov 22, 2019	Dec 05, 2019
Comments: Deficiency is now compliant			

General Comments

All non compliance items were corrected at time of follow up inspections.

Ratios were respected during time of follow up inspection.

Inspector is waiting on fire inspector to confirm non compliant issues have been corrected before completing the process for the renewal.

original signed by
Janice Gauvin-Léger

Signature of Early Learning and Childcare Licensing Staff

December 05, 2019

Date

original signed by
Deanna Fowler

Signature of Operator/Designate

December 05, 2019

Date