

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bridge Street Children's Academy Inc.	Licence Number 2006855	Inspection Date November 22, 2022	
Facility Name Bridge Street After School Academy		Telephone Number (506) 536-1066	
Address 148 Bridge St Sackville NB E4L 3P7			
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Dec 06, 2022	Nov 22, 2022
Comments: During the renewal inspection, the inspector observed that a check with Social Development is missing in 1 of the 26 staff members files verified. During the inspection, the administrator placed a copy of a valid check with Social Development in the staff member's file. Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (ii) to explore various forms of literacy.	21(c)(ii)	Nov 25, 2022	Nov 22, 2022
Comments: During the renewal inspection, the inspector observed that 3 out of the 6 books that were available for the children are damaged. A sufficient quantity of reading materials avoids excessive competition and long waits for children. During the renewal inspection, the administrator disposed of the damaged books and replenished the bookshelf with new books. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Nov 24, 2022	Nov 22, 2022
Comments: During the renewal inspection, the inspector observed that an English curriculum certificate is missing in 1 of the 26 staff members files verified. During the inspection, the administrator placed the English curriculum certificate in the staff member's file. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Nov 24, 2022	Nov 22, 2022
Comments: During the renewal inspection, the inspector observed that a description of duties and responsibilities is missing in 1 of the 26 staff member's files verified. During the inspection, the administrator placed a copy of the duties and responsibilities in the staff member's file. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Dec 06, 2022	Nov 22, 2022

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: During the renewal inspection, the inspector observed that a check with Social Development is missing in 1 of the 26 staff members files verified. During the inspection, the administrator placed a copy of a valid check with Social Development in the staff member's file. Deficiency is now compliant.</p>			
<p>25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (g) whether a child receiving services at the licensed facility has a life-threatening allergy and a description of that allergy.</p>	25(g)	Nov 24, 2022	
<p>Comments: During the renewal inspection, the inspector observed that life threatening allergies are not posted in a visible area inside the facility. The operator must post life threatening allergies in a visible and prominent place in the facility.</p>			
<p>30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.</p>	30(3)	Dec 06, 2022	
<p>Comments: During the renewal inspection, the inspector observed that the floor near the main entrance is buckling and damaged. The operator must repair the flooring to guarantee it is properly cleaned and sanitized. Repairing the flooring will also eliminate any tripping hazard.</p>			

General Comments

During the renewal inspection, the inspector observed the educators' reading books to the children, snack time, an alphabet matching game, a painting activity, outdoor free play, lunch time and indoor free play.

The inspector also observed positive interactions between the educators and children such as an educator comforting a child who misses their parents.

The ratio was respected during the inspection.

original signed by
Kyleigh Roy

Signature of Early Learning and Childcare Licensing Staff

November 22, 2022

Date

original signed by
Deanna Fowler

Signature of Operator/Designate

November 22, 2022

Date