

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

2006855					er 16, 2022	
				Telephon	o Number	
				Telephone Number		
		Bridge Street After School Academy			(506) 536-1066	
			<u> </u>			
Name of Early Learning and Childcare Licensing Staff P			Position Title			
Kyleigh Roy			Inspector			
	cc				Date corrected	
ng services	25(g) N		Nov 2	24, 2022	Dec 16, 2022	
s an allergy t mpliant.	herefo	ore there				
	, ,				Dec 16, 2022	
ry fix, and tha	t new	flooring				
snack time.						
	December 16, 2022					
aff D	ate					
		Dec	embei	· 16, 2022		
D	·					
	as an allergy tompliant. ensed facility for observed toury fix, and that iciency is now  I snack time.	sible and ing services scription of strator advised the as an allergy thereformpliant. ensed facility 30(3 for observed that the ary fix, and that new iciency is now com	Regulation  Sible and ing services scription of strator advised the inspecto as an allergy therefore there impliant.  The sensed facility and that the flooring inciency is now compliant.  It snack time.  Decompliant  Decompliant  Decompliant  Decompliant  Decompliant  Decompliant  Decompliant  Decompliant  Decompliant  Decompliant	Regulation Date corrects Date and sing services scription of Date and as an allergy therefore there are compliant. Decompliant	Regulation Date to be corrected sible and ing services scription of strator advised the inspector that the administ as an allergy therefore there are currently no lompliant. Pensed facility 30(3) Dec 06, 2022 for observed that the flooring had been glued by fix, and that new flooring has been ordered iciency is now compliant.  I snack time.  December 16, 2022 taff  December 16, 2022	