

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bridge Street Children's Academy Inc.	Licence Number 2006855	Inspection Date February 06, 2025	
Facility Name Bridge Street After School Academy		Telephone Number (506) 536-1066	
Address 148 Bridge St Sackville NB E4L 3P7			
Name of Early Learning and Childcare Licensing Staff Stephanie Leger		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Feb 13, 2025	Feb 06, 2025
Comments: During the renewal inspection, inspector observes an accumulation of dirt in a cupboard where a child's personal belongings are being kept. Inspector notifies the administrator, and the cupboard was clean immediately. Deficiency is now compliant			
39(1) A licensed facility shall have storage space that includes: (c) if services are provided to a child who is not toilet-trained, space for diapers, creams and wipes for the child	39(1)(c)	Feb 13, 2025	
Comments: Inspector observes that there is no individual space allocated for diapers, creams and wipes for the 2 children who require diaper changing. Operator must ensure an individual space is created for each child requiring diaper changing.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Feb 13, 2025	
Comments: Inspector observes that no changing mat or sturdy surface is being used for diaper changing that is covered with a non-absorbent layer. Operator must ensure that the daycare is equipped with a changing mat or a sturdy surface that is covered with a non-absorbent layer.			
41(2) Despite subsection (1), a changing mat used exclusively for diaper changing may be used as a surface for diaper changing for children who are at least 15 months of age.	41(2)	Feb 13, 2025	
Comments: During the renewal inspection, there is no changing mat on site for the children over 15 months who require diaper changing. A changing mat needs to be present in the daycare for the children who require diaper changing.			
41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas.	41(3)(a)	Feb 13, 2025	Feb 06, 2025
Comments: During the renewal inspection, inspector observes the diaper changing area and there is no diaper changing procedure posted. Administrator places a copy of the diaper changing procedure on the wall. Deficiency is now compliant.			

General Comments

Inspector is on site to complete the renewal inspection. Upon arrival children are playing freely indoors while the educators are participating in a variety of activities such as playing with water and bubbles, cars and trucks,

General Comments

quiet corner storytelling, a shadow game with flashlights in the dark and music playing with a group sing along. Lunch and naptime are also observed during the renewal inspection.

Ratio was respected during the renewal inspection.

original signed by
Stephanie Leger

Signature of Early Learning and Childcare Licensing Staff

February 07, 2025

Date

original signed by
Deanna Fowler

Signature of Operator/Designate

February 07, 2025

Date