

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bridge Street Children's Academy Inc.	Licence Number 2006855	Inspection Date February 14, 2025
Facility Name Bridge Street After School Academy		Telephone Number (506) 536-1066
Address 148 Bridge St Sackville NB E4L 3P7		
Name of Early Learning and Childcare Licensing Staff Stephanie Leger		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a).	10(1)	Feb 14, 2025	Feb 14, 2025
Comments: During the follow up inspection, the inspector observes that the ratio is not respected in the mixed age group classroom. 2 educators were present for 20 children from the ages of 3 and 4 years old. Another Educator arrived and brought 4 children to another classroom. The ratio is now respected. Deficiency is now compliant			
39(1) A licensed facility shall have storage space that includes: (c) if services are provided to a child who is not toilet-trained, space for diapers, creams and wipes for the child	39(1)(c)	Feb 13, 2025	Feb 14, 2025
Comments: During the follow up inspection, inspector observes individual spaces that contain diapers, creams and wipes for each child who requires diaper changing. Deficiency is now compliant			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Feb 13, 2025	Feb 14, 2025
Comments: During the follow up inspection, a changing mat has been added to the diaper changing area that is covered with a non-absorbent layer. Deficiency is now compliant			
41(2) Despite subsection (1), a changing mat used exclusively for diaper changing may be used as a surface for diaper changing for children who are at least 15 months of age.	41(2)	Feb 13, 2025	Feb 14, 2025
Comments: During the follow up inspection, a changing mat has been added to the diaper changing area for the children above the age of 15 months that require diaper changing. Deficiency is now compliant.			
9(5) The number of children grouped at a full-time or part-time early learning and childcare centre shall not be more than the number that requires two educators.	9(5)	Feb 14, 2025	Feb 14, 2025
Comments: During the follow up inspection, the inspector observes that the ratio is not respected in the mixed age group classroom. 2 educators were present for 20 children from the ages of 3 and 4 years old. Another Educator arrived and brought 4 children to another classroom. The ratio is now respected. Deficiency is now compliant			

General Comments
Inspector was onsite to complete the follow up inspection. Children are observed playing freely indoors and the majority are wearing red and pink to celebrate Valentine's Day.

General Comments

During the follow up inspection, inspector observes that the child attendance sheet has not been completed with the number of children present at this time. Operator must ensure that all educators complete the child attendance sheet when children are arriving or departing the childcare center.

original signed by
Stephanie Leger

Signature of Early Learning and Childcare Licensing Staff

February 14, 2025

Date

original signed by
Erin Maxwell

Signature of Operator/Designate

February 14, 2025

Date