



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 610687 NB Inc.	Licence Number 2006893	Inspection Date May 18, 2023
Facility Name Kingswood Academy 2	Telephone Number (506) 869-8980	
Address 1535 Ryan Street Moncton NB E1G 2V4		
Name of Early Learning and Childcare Licensing Staff Sophie Powers	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	May 30, 2023	
Comments: Stationary equipment is not surrounded by protective surfacing of appropriate depth. It should be turned over or raked weekly to ensure proper depths are maintained. Recommended minimum depth of material (compacted) is 30 cm. The stationary equipment must not be used until the protective surfacing is at appropriate depth.			

General Comments
Quality Assurance monitor return to the facility to observe the morning preschool class. The educator was reading a story to the children and then went outside to enjoy the nice weather. In one of the classrooms, QA monitor noticed moldy food in a container. She addressed it to the educator, and it was removed immediately.
While QA monitor was on site, she verified the outdoor play area used for this license.

original signed by
Sophie Powers

Signature of Early Learning and Childcare Licensing Staff

May 18, 2023

Date

original signed by
Debra Betsch

Signature of Operator/Designate

May 18, 2023

Date