



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 610687 NB Inc.	Licence Number 2006893	Inspection Date February 15, 2024
Facility Name Kingswood Academy 2		Telephone Number (506) 869-8980
Address 1535 Ryan Street Moncton NB E1G 2V4		
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Feb 15, 2024	Feb 15, 2024
Comments: During the renewal inspection, the inspector observed a bottle of heavy-duty cleaner in a cabinet under the sink in 1 of the 3 classrooms and a can of de-icer in a plastic bin on top of the cubbies in the hallway. During the inspection, a staff member placed both products in a locked storage. Deficiency is now compliant.			
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Feb 15, 2024	Feb 15, 2024
Comments: During the renewal inspection, the inspector observed that 4 out of the 10 water bottles audited are not labelled with the name of the child. The operator must ensure that water bottles are labelled with the child's name to prevent and control the spread of communicable diseases and illness. During the inspection, a staff member labelled the water bottles. Deficiency is now compliant.			

General Comments

During the renewal inspection, the inspector observed an educator reading books to the children, indoor free play, snack time and outdoor free play.

The operator informed the inspector that the play structures in the afterschool gated outdoor play area are currently not being used as protective surfacing is lacking.

The ratio is respected during the inspection.

original signed by
Kyleigh Roy

Signature of Early Learning and Childcare Licensing Staff

February 16, 2024

Date

original signed by
Debra Betsch

February 16, 2024

Signature of Operator/Designate

Date