

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Numb			Inspection Date		
Boys and Girls Club of Charlotte County Inc.	2007101			March 16, 2021		
Facility Name				Telepho	ne Number	
BGCCC EARLY LEARNING CENTRE				(506) 466-4314		
Address						
54 Disher Lane Dufferin Charlotte Co NB E3L 3H7						
Name of Early Learning and Childcare Licensing Staff			Position Title			
Breanne Jones			Inspector			
Order for Compliance		Regulation		Date to be corrected	Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.		24(1)(b)	(v) S	Sep 21, 2020	Sep 21, 2020	
Comments: Deficiency is now compliant						
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (vi) daily information sheets on forms provided by the Minister for each child under the age of 24 months.		24(1)(b)(vi) Se		Sep 07, 2020	Sep 21, 2020	
Comments: Deficiency is now compliant					1	
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (a) the daily routine.		25(a)		Sep 21, 2020	Sep 21, 2020	
Comments: Deficiency is now compliant						
B1(3) An operator shall maintain the outdoor play area of a lice acility to ensure the safety of the children.	ensed	31(3) S		Sep 21, 2020	Sep 21, 2020	
Comments: Deficiency is now compliant						
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.		4/(1) Se		Sep 21, 2020	Sep 21, 2020	
Comments: Deficiency is now compliant			,			
48(4) If an infant is receiving services at a licensed facility, the shall (d) ensure that each bottle is stored with a cover in the re	operator efrigerator.	48(4)(d) S		Sep 21, 2020	Sep 21, 2020	
Comments: Deficiency is now compliant						

General Comments

A follow up to the renewal inspection was conducted today. All outstanding orders for compliance were met. Facility recommended pending Fire and Health Approval.

Children were observed in both inside and outside play.

The Pre-K room has been divided to support bubble groupings in the COVID-19 Recovery Phase document and children on each side have a wide variety of materials to interact and engage with.

The learning environments in each room have children's learning documented and the children appeared happy and content with their educators.

Discussed with program administrator the use of work sheets in the Pre-K room and have emailed the document entitled "The Worksheet Dilemma". This should be shared with all educators at the facility.

original signed by Breanne Jones Signature of Early Learning and Childcare Licensing Staff

September 21, 2020

original signed by Natasha Reid

Signature of Operator/Designate

September 21, 2020

Date

Date