

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number		er		Inspection	n Date	
Boys and Girls Club of Charlotte County Inc.	·				September 01, 2022		
Facility Name				Telephone Number			
BGCCC EARLY LEARNING CENTRE				(506) 466-4314			
Address							
54 Disher Lane Dufferin Charlotte Co NB E3L 3H7							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Jodi Hennessey		Inspector					
		<u> </u>		1_			
Order for Compliance				Date corre		Date corrected	
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;		11(a)		Jul 22, 2022		Sep 01, 2022	
Comments: Deficiency is now compliant							
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.		21(a)	– (d)	Sep 09, 2022			
Comments: Renewal inspection and follow up from 2021 r Original comply by date of August 12, 2022. Renewal inspection from July 5, 2022 not post	·						
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (b) child records that include: (i) the child's nar address, birth date and Medicare number,	a	24(1)	(b)(i)	Aug 1	2, 2022	Sep 01, 2022	
Comments: Deficiency is now compliant							
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (b) child records that include: (iv) the name, act telephone number of at least two individuals authorized by the coparent or guardian to pick up the child and to be contacted in catemorgency if the parent or guardian cannot be reached,	a ddress and child's		(b)(iv)	Sep 0	9, 2022	Sep 01, 2022	
Comments: Deficiency is now compliant							
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (c) staff member records that include (iv) a sign declaration confirming that the staff member has read and under or her obligations under the Act and this Regulation.  Comments: Deficiency is now compliant	a ned	24(1)	(c)(iv)	Aug 1	2, 2022	Sep 01, 2022	
Comments. Delicionally is now compliant							

Order for Comp	liance	Regulation	Date to be corrected	Date corrected
records and doc licensed facility: valid first aid cer	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (vii) a copy of a tificate and a valid cardiopulmonary resuscitation ch administrator and educator.	24(1)(c)(vii)	Jul 22, 2022	Sep 01, 2022
Comments:	Deficiency is now compliant			
records and doc	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (f) daily attendance records of the children on forms Minister.	24(1)(f)	Jul 06, 2022	Sep 01, 2022
Comments:	Deficiency is now compliant			
prominent place	of a licensed facility shall post in a clearly visible and on the premises: (b) the weekly menus.	25(b)	Aug 12, 2022	Sep 01, 2022
Comments:	Deficiency is now compliant			
space used to pi	or of a licensed facility shall not change the allocation of rovide services or add to or alter any building or facility or unless the Minister has approved the changes in writing. Deficiency is now compliant	28(1)	Jul 06, 2022	Sep 01, 2022
	nises of a licensed facility shall comply with (a) lighting, ther general health standards under the Public Health	28(3)(a)	Sep 09, 2022	
Comments:	Infant Room: under change mat accumulating dirt/debris	, to be cleane	d.	'
	Door casing to infant room, marker on door casing to be Original comply by date of August 12, 2022.	cleaned/repai	nted.	
childcare centre children shall be	or play area of a full-time or part-time early learning and at which services are provided to infants or preschool enclosed with a fence at least 1.22 m in height with a lired at all times when the children are present.	31(6)	Jul 15, 2022	Sep 01, 2022
Comments:	Deficiency is now compliant			
materials and ed	or of a licensed facility shall provide indoor play area quipment that are (a) varied and in sufficient quantity for ages of the children receiving services at the licensed	32(1)(a)	Sep 09, 2022	
Comments:	Three year old room: Creative art materials lacking. Disc inspection. These are to available/accessible to the child in clear containers with covers as items with small parts original comply by date of August 12, 2022.	ren. Discusse	d at time of renewa	al inspection storing
	or of a licensed facility shall provide indoor play area	32(1)(d)	Sep 09, 2022	
Comments:	Two's Room; Brown vinyl chair, seat beginning to rip, to Original comply by date of July 8, 2022.	be discarded.		
an early learning	rea of a full-time early learning and childcare centre and g and childcare home shall allow for a space of at least 46 th crib, portable playpen, cot or nap mat.  Deficiency is now compliant	36(4)	Jul 06, 2022	Sep 01, 2022
groups of children part-time early le (b) five children fewer who are th years of age or of	p-staff ratio is one educator for each of the following en of the same age receiving services at a full-time or earning and childcare centre: (a) three infants or fewer; or fewer who are two years of age; (c) eight children or laree years of age; (d) ten children or fewer who are four older, but who are not yet attending 15 school-age children or fewer.	9(1)	Jul 06, 2022	Sep 01, 2022

Order for Compliance	D. J. J. C.	Data ta La	D. C		
Order for Compliance	Regulation	Date to be corrected	Date corrected		
Comments: Deficiency is now compliant	·	•	·		
General Comments					
A follow up to the renewal inspection was conducted today. Inside play, lunch, nap/quiet time.	The children were o	bbserved during	outside play,		
There are still outstanding orders for compliance from the real 2022. It is the expectation that the operators ensure that the shoted on the renewal inspection. Another follow-up inspection.	se are rectified by t		•		
In the three year old room an educators desk takes up a maj and adding shelves to hold educator materials.	ority of one corner.	Recommendir	ng removing it		
original signed by Jodi Hennessey	Sep	otember 01, 202	22		
Signature of Early Learning and Childcare Licensing Staff	Date				
original signed by Natasha Reid	Sep	September 01, 2022			

Date

Signature of Operator/Designate