

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2007121	Inspection Date May 30, 2024
Facility Name YMCA OF GREATER SJ MCC AFTER SCHOOL PROGRAM		Telephone Number (506) 632-6157
Address 99 Daniel Avenue Saint John NB E2K 4P3		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Apr 22, 2024	May 30, 2024
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jul 02, 2024	
Comments: Outdoor Play Area: Cribbing around playground rotting away, exposing large spikes. To be repaired. QA Monitor discussed with staff during inspection, pylons to be added to cover spikes during in outdoor play until repaired. Previous comply by date - May 20, 2024			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Apr 29, 2024	May 30, 2024
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Apr 22, 2024	May 30, 2024
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Apr 15, 2024	May 30, 2024
Comments: Deficiency is now compliant			

General Comments
Monitoring Inspection - Follow Up ahead of Renewal: Discussed the outdoor play area with administrator on site, ensure district is contacted for repairs to cribbing.

General Comments
All other orders are now compliant.

original signed by Britta Garnett	May 30, 2024
Signature of Early Learning and Childcare Licensing Staff	Date

original signed by A. Estabrooks	May 30, 2024
Signature of Operator/Designate	Date