

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator JD Taekwondo Inc	Licence Number 2007277	Inspection Date February 16, 2023
Facility Name JD Tae Kwon Do		Telephone Number (506) 860-7215
Address 445 Elmwood Drive Moncton NB E1A 2X2		
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Feb 21, 2023	
Comments: In 1 of 6 child record files verified, the address of the medical practitioner was incomplete. The name, full address and telephone number of the medical practitioner must be included in all child record files. The operator needs to verify all child records files to make sure everything is in order.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Feb 21, 2023	
Comments: Quality Assurance monitor noticed that the daily attendance record document that the facility uses was modified from the original document provided by the minister. Operator needs to make sure his staff uses the document that is provided by the minister. Operator can find the document at page 132 of the Operator's manual.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Feb 16, 2023	Feb 16, 2023
Comments: Quality Assurance monitor observed, in the bathroom, a plate covering an outlet that was loose. Live electrical wires can easily be accessible to children. Indoor area must be maintained safe at all times. Operator fixed the problem while QAM was still on site. Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Feb 16, 2023	
Comments: Lysol wipes, lysol disinfectant spray, febreze bottles, shaving cream, nail polish remover and paint cans were found in an area that was accessible to children. All toxic products, chemical products and cleaning supplies must be locked and inaccessible to children.			

<p><b>General Comments</b></p> <p>Visit done at the facility for a monitoring inspection. Ratio was respected during the visit.</p> <p>Quality Assurance monitor was able to observe kids practice Tae Kwon Do. Positive interaction between staff members and children was observed.</p>
---

General Comments

During the visit, QAM verified staff record files, storage space for toxic products, and indoor play area.

original signed by  
**Sophie Powers**

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

February 16, 2023

\_\_\_\_\_  
Date

original signed by  
**Jamie Delisle**

\_\_\_\_\_  
Signature of Operator/Designate

February 16, 2023

\_\_\_\_\_  
Date