

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operat	rator Licence N			ber		Inspection Date		
JD Taekwondo	Taekwondo Inc 2007277					May 06, 2024		
Facility Name	cility Name						Telephone Number	
JD Tae Kwon Do						(506) 860-7215		
Address								
445 Elmwood Drive Moncton NB E1A 2X2								
Name of Early Learning and Childcare Licensing Staff			Position Title					
Roxanne Benoit			Inspector					
Order for Compli	ance		Reg	ulation	Date correc		Date corrected	
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a).			10(1	0(1) May		01, 2024	May 01, 2024	
Comments: The inspector arrived on site at 3h20 and observed an educator driving the facility bus with 22 children. Inside the facility, 32 children were in the gym with 2 educators. The same educator driving the bus was in the lobby with the 22 children's waiting for the last educator to arrive from the bus run with 3 children. The ratio child-to-staff is 15 children for 1 educator, which means that the child-to-staff ratio was not respected for a period of time. The inspector discussed with the administrator that the ratio must be respected immediately, and that a contingency plan must be put in place in the event of a staff shortage. It was difficult for the administrator to conduct a plan due to her responsibilities towards a group of children. The ratio was respected around 4h00, when the children were divided in the classroom and parents picked up their child. Deficiency is now compliant.								
records and docu licensed facility: (telephone numbe parent or guardial emergency if the	poses of subsection 20(1) of the Act, the follow ments shall be maintained on the premises of (b) child records that include: (iv) the name, act or of at least two individuals authorized by the contourned in to pick up the child and to be contacted in caparent or guardian cannot be reached, The children file observed by the inspector wa	a Idress and child's ase of an	,)(b)(iv) ficiency is		3, 2023	May 01, 2024	
parent or guardian before doing any an outing.	a licensed facility shall obtain the written cons n of a child receiving services at the licensed for of the following: (f) permitting the child to partic	acility cipate in	27(f)			3, 2023		
	Since the renewal inspection, the inspector received information regarding the consent. The operator must ensure that a written consent is obtained for each outing and field trips when leaving the neighbourhood. The consent should outline the date, time of departure and return, destination and purpose of the trip and any special considerations. The inspector gave recommendations to the administrator. The operator is required to send a future-use copy and a detailed plan of the consent to the inspector.							
• • • • • • • • • • • • • • • • • • • •			30(1		1	01, 2024	May 01, 2024	

Order for Comp	liance	Regulation	Date to be corrected	Date corrected				
Comments:	At one moment during the inspection, the inspector obse capacity of the premises. The inspector counted 33 child children in the lobby space that measure for 9. The admission respected and that the premises cannot accommodate allows. To ensure children's safety, no changes can be request from the inspector, the administrator and educate Regulation. Deficiency is now compliant.	Iren in the gym inistrator must e more children nade to the use an element of	space that measure ensure that the max than their measure of space in the fac the fire marshal's of	e for 32 and 22 kimum group size ed surface area cility without the ffice. After the 2nd				
	or shall maintain the indoor play area of a licensed facility fety of the children.	30(3)	Nov 03, 2023					
Comments:	During the renewal inspection on October 13th, both inspectors observed two holes in a section of a wall in the staircase and a hole behind the doorknob leaving the inner parts of the wall exposed. On January 4th, two holes were repaired but still in the process to get painted but the hole behind the doorknob was not repaired. Today, the hole behind the doorknob remains unfixed and neither was the wall painted. The operator must ensure that this is repaired.							
	r of children grouped at a full-time or part-time early ldcare centre shall not be more than the number that ucators.	9(5)	May 01, 2024	May 01, 2024				
Comments:								
General Comr	nents							
When the inspector arrived, it was difficult to take the ratio because of all the children arriving from school, and the educators didn't know how many children had arrived and in which group. The transition from school arrival to entering their respective classes must be reorganized to better accommodate the child-to-staff ratio. The inspector observed the children's taking Tak Kwon Do classes. Some children were playing with toys freely in the lobby.								
Signature of E	original signed by Roxanne Benoit Early Learning and Childcare Licensing Staff	Nate	May 06, 2024					
Signature of C	original signed by Jamie Delisle Operator/Designate	N Date	1ay 06, 2024					
Signature of C	porator Designate	Julio						