

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Lice		icence Number		Inspection Date		
Elsipogtog Band		2008237			August 05, 2021	
Facility Name				Telephone Number		
Elsipogtog Day Care					(506) 523-8305	
Address						
208 MAIN St Elsipogtog First Nation NB	E4W 2X9					
Name of Early Learning and Childcare Licensing Staff			Position Title			
Maryse Léger			Inspector			
Order for Compliance		Regulation Date corre			Date corrected	
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.		21(a) – (d)				
Comments: The last inspection report is visible area in the facility.	not posted. The Administrato	or will post t	the most r	ecent inspec	tion report in a	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).				12, 2021		
Comments: Three staff files are missing and add it to the three staff f	a copy of their ECE certificat files.	e. Adminis	trator will	obtain a copy	of the certificates	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.		24(1)(c)(vi	Aug (05, 2021	Aug 05, 2021	
	al Development is missing fro	m two staf	f files. The	e copies were	e retrieved and	
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.		25(e)	Aug 1	12, 2021		
Comments: The contact information for t post this information in a vis	the Quality Assurance Monito ible place in the facility.	r and Inspe	ector is no	ot posted. The	e Administrator will	
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.		33(2)		19, 2021		
Comments: The play structures do not have the appropriate amount of protective surfacing. Administrator will ensure that the protective surface is placed under the required structures.						
39(2) A licensed facility shall have a separate is inaccessible to the children for each of the chemical products and cleaning supplies;		39(2)(a)	Aug 1	12, 2021		

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Toxic products (oven cleaner, laundry detergent, boratoxic products must be locked at all times.	ax) were found in	the laundry room	that is unlocked. All
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid k that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	Aug 12, 2021	
Comments: Some items are missing from the First Aid kits (abdor First Aid kits must be verified to ensure that they are		urn gel, sling/triang	jular bandages). All
General Comments			
During the inspection, the Inspector observed indoor play, lunch	and nap time.		
Documentation of activities is maintained in both groups.			
original signed by Maryse Léger Signature of Early Learning and Childcare Licensing Staff	August 05, 2021 Date		
original signed by Margaret (Peggy) Clement		ugust 05, 2021	
Signature of Operator/Designate	Date		