

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Elsipogtog Band	Licence Number 2008237	Inspection Date September 23, 2021	
Facility Name Elsipogtog Day Care		Telephone Number (506) 523-8305	
Address 208 MAIN St Elsipogtog First Nation NB E4W 2X9			
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Aug 12, 2021	Sep 10, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Aug 12, 2021	Sep 10, 2021
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.	25(e)	Aug 12, 2021	Sep 10, 2021
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Aug 19, 2021	Sep 22, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Aug 12, 2021	Sep 22, 2021
Comments: Deficiency is now compliant			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	Aug 12, 2021	Sep 22, 2021
Comments: Deficiency is now compliant			

General Comments

Evidence of compliance was sent by email. No site visit was conducted. All requirements have been met for licence renewal.

All requirements have been met for license renewal.

original signed by
Maryse Léger

Signature of Early Learning and Childcare Licensing Staff

September 23, 2021

Date

original signed by
Margaret Clement

Signature of Operator/Designate

September 23, 2021

Date