



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Corporation of the Anglican Parish of Rothesay	Licence Number 2008433	Inspection Date November 12, 2019
Facility Name ST. PAUL'S AFTER SCHOOL PROGRAM	Telephone Number (506) 847-8404	
Address 4 Church Avenue Rothesay NB E2E 5G4		
Name of Early Learning and Childcare Licensing Staff Lisa Green	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area.	43	Nov 12, 2019	Nov 12, 2019
Comments: Deficiency is now compliant. Coffee cup present when QAM arrived for inspection. Following conversation, coffee cup removed.			

<p>General Comments</p> <p>Children engaged in free play throughout the environment. A variety of materials are available for the children to enjoy. After snack, children participate in a new project that connects them to the church community. Children eager to share what they get to do during this activity time and were observed to be very engaged.</p> <p>Ensure menu indicates which is current week. For smoke alarm/ detector check confirm with church maintenance that everything is in working order monthly,</p> <p>Regarding hot beverages section 10.13 of the Operator Manual details regulation and what you need to know with regards to hot beverages being present.</p>

original signed by
Lisa Green

Signature of Early Learning and Childcare Licensing Staff

November 12, 2019

Date

original signed by
Leslie Fraser

Signature of Operator/Designate

November 12, 2019

Date