

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Corporation of the Anglican Parish of Rothesay	Licence Number 2008433	Inspection Date December 01, 2022
Facility Name St. Paul's Preschool and Afterschool Program		Telephone Number (506) 847-1812
Address 4 Church Avenue Rothesay NB E2E 5G4		
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(1) An operator of a licensed facility shall not change the allocation of space used to provide services or add to or alter any building or facility or any part of them unless the Minister has approved the changes in writing.	28(1)	Dec 12, 2022	
Comments: One room in centre previously used by the afterschool program is no longer used. A new room has been set up with books and science activities. This room has not been previously used by the program or inspected. Quality Assurance Monitor will review measured space and forward an Application for Changes if required.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Mar 11, 2021	May 21, 2021
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Mar 12, 2021	Jun 21, 2021
Comments: Deficiency is now compliant			
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.	37	Dec 07, 2022	
Comments: Gate to kitchen was observed to be removed from wall allowing access to the kitchen by the children. Gate is to be restored and kept closed when children are present.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Mar 11, 2021	May 21, 2021
Comments: Deficiency is now compliant			

<p>General Comments</p> <p>Monitoring inspection completed today.</p> <p>Children were observed following outdoor play, during free play and snack time. The environment is set up with materials to invite children to engage. Children engaged with art materials and games ahead of snack time.</p> <p>Provided a planning tool for school-age children and discussed with Administrator/Educator. It is recommended</p>
--

General Comments

this planning tool be used to enhance programming and evidence of purposeful planning for the children.

original signed by
Lisa Green

Signature of Early Learning and Childcare Licensing Staff

December 01, 2022

Date

original signed by
Leah Doiron

Signature of Operator/Designate

December 01, 2022

Date