

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		Number			Inspection Date		
Step Ahead - Bath Family Learning Center Inc. 2008438		i			January 07, 2021		
Facility Name				Telephone Number			
Step Ahead - Bath Family Learning Center					(506) 278-3959		
Address							
118 School Street Bath NB E7J 1C4							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Mary Ramsay-Irving			Quality Assurance Monitor				
Order for Compliance		Regulation		Date to be corrected		Date corrected	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;		39(2	9(2)(a) Jan 07, 202		7, 2021	Jan 07, 2021	
Comments: Deficiency is now compliant							
General Comments							
During my visit, the morning preschool was just finishing pick up protocol appeared to follow COVID guidelines an upon arrival. The preschool room was set up well with dithe walls.  Some of the children were napping and the ones who did equipment was spaced out adequately. I observed clean	d no paren ifferent stat	its hations	ad enter and chi	ed the Idren's	building. work was tivities. Th	I was logged in significant displayed on the nap	
appeared to be clean and safe.							
original signed by Mary Ramsay-Irving			January 07, 2021				
Signature of Early Learning and Childcare Licensing Sta	ff D	ate					
Signature of Operator/Designate		ate					