

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator TOUCHSTONE ACADEMY INC	Licence Number 2009253	Inspection Date September 18, 2020
Facility Name TOUCHSTONE ACADEMY		Telephone Number (506) 847-2673
Address Unit A 68 Hampton Road Rothesay NB E2E 5L5		
Name of Early Learning and Childcare Licensing Staff Patricia Kelley		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.	22(a)	Feb 11, 2020	Sep 18, 2020
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Mar 20, 2020	Sep 18, 2020
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Feb 12, 2020	Sep 18, 2020
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Feb 10, 2020	Sep 18, 2020
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Feb 17, 2020	Sep 18, 2020
Comments: Deficiency is now compliant			
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space.	39(3)	Feb 10, 2020	Sep 18, 2020
Comments: Deficiency is now compliant			

<p><b>General Comments</b></p> <p>Follow up to renewal inspection to confirm that orders for compliance are now compliant.</p> <p>This facility is meeting the requirements for staff training as found in Licensing Regulation 11(c)(ii)          (A) at least 50% of educators must hold a one year Early Childhood Education Certificate or training that is equivalent, and          (B) an administrator must hold a one year Early Childhood education Certificate or training that is equivalent.</p>
--

General Comments

original signed by  
Patricia Kelley

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

September 18, 2020

\_\_\_\_\_  
Date

original signed by  
Angela Prosser

\_\_\_\_\_  
Signature of Operator/Designate

September 18, 2020

\_\_\_\_\_  
Date