

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator ISLAND VIEW SCHOOL COMMUNITY COMPUTER CENTRE	Licence Number 2009261	Inspection Date December 04, 2020
Facility Name ISLAND VIEW SCHOOL COMMUNITY CENTRE		Telephone Number (506) 674-2095
Address 496 Ridge Row Saint John NB E2M 4A1		
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary licence issued under section 29.	21(a) – (d)	Oct 19, 2020	Dec 02, 2020
Comments: Deficiency is now compliant			

<p>General Comments</p> <p>Children were observed engaged in play in both learning environments during monitoring inspection. In the junior room, children have been making ornaments and were enjoying free play; drawing and coloring, building with Lego and playing with dinosaurs. The introduction of a Rubik's cube is a new favourite activity. Children were working hard to solve it and waiting patiently for their turns. In the senior group, children were playing board games, drawing, reading and completing their Christmas crafts.</p> <p>Discussed new group log requirements. Ensure that contact information for each child is on the group log. Visitors can be added to the bottom of the group when needed.</p>

original signed by Lisa Green	December 04, 2020
Signature of Early Learning and Childcare Licensing Staff	Date

original signed by Mary-Ann Masson	December 04, 2020
Signature of Operator/Designate	Date