

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator CAROL MCCLUSKEY	Licence Number 2009280	Inspection Date October 14, 2021	
Facility Name Daley Day Care 2		Telephone Number (506) 388-9019	
Address 99 Highlandview Road Moncton NB E1A 2L1			
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.	11(c)(ii)	Oct 28, 2021	
Comments: Operator will contact the Quality Assurance Monitor to discuss how this regulation will be met.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Oct 21, 2021	
Comments: Four of the four audited child files do not have the contact information for the medical practitioner.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Oct 28, 2021	
Comments: Some of the structures in the playground do not have the required depth of protective surface as indicated by the manufacturer's instruction manual. The operator must ensure that the correct amount of protective surface is in place before the children are allowed to use the play structures.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Oct 14, 2021	Oct 14, 2021
Comments: The change mats are covered with cotton on one side and a non-absorbant layer on the other side. Staff are using the cotton side for diaper changing. The Administrator replaced the change mats and indicated that the staff will use the non-absorbant side from now on. Operator must review the diaper changing procedures with all staff. Deficiency is now compliant			

General Comments

During the inspection, the Inspector observed indoor play, lunch and snack time.

Documentation of activities and children's learning are maintained and up to date.

General Comments

The ratio is in compliance at the time of inspection.

original signed by
Maryse Léger

Signature of Early Learning and Childcare Licensing Staff

October 14, 2021

Date

original signed by
Carol McClusky

Signature of Operator/Designate

October 14, 2021

Date