

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator CAROL MCCLUSKEY	Licence Number 2009280	Inspection Date July 25, 2023
Facility Name Daley Day Care 2		Telephone Number (506) 388-9019
Address 99 Highlandview Road Moncton NB E1A 2L1		
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Jul 25, 2023	Jul 25, 2023
Comments: In two staff member's file the job description was missing. All staff member records must include a description of duties and responsibilities . Administrator immediately printed and inserted a copy in both staff member's file. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Aug 25, 2023	
Comments: In one staff member's file the first aid and CPR certificate was not valid. A valid first aid certificate is from a course recognized by WorkSafeNB and includes a 16-hour Standard First Aid with CPR Level C.			
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	Jul 25, 2023	Jul 25, 2023
Comments: During the monitoring inspection the QA monitor observed toys and table were to close to doorway preventing proper circulation. All traffic area must be cleared from obstructions. Administrator rearranged the area to clear the doorway. Deficiency is now compliant			

<p>General Comments</p> <p>Monitoring visit was conducted. Ratio was respected at the time of the inspection. While QA monitor was on site, she verified:</p> <ul style="list-style-type: none"> - The outdoor play area - Outdoor play area material and equipment - Daily activities - Staff member's record files <p>QA Monitor noticed that in one staff member's file the criminal \ vulnerable sector check was issued in another province. QA Monitor recommends that the staff in question goes to the local RCMP and get another check. A copy can be sent via email when received.</p>

General Comments

The facility implements an inclusive daily program which contains a variety of purposely planned activities, opportunities and experiences.

While observing the outdoor play area, QA Monitor noticed that one of the play area didn't contain the 10% shade. The intent behind that requirement is to protect children and staff members from the heat during the hottest part of the day. Administrator informs QA monitor that in the afternoon (hottest part of the day), they have shade from the building: This will be verified during the next inspection.

During the monitoring inspection QA Monitor was able to observe outdoor and indoor free play. Positive interaction between educators and children was also observed.

original signed by
Sophie Powers

Signature of Early Learning and Childcare Licensing Staff

July 25, 2023

Date

original signed by
Sharon Mattinson

Signature of Operator/Designate

July 25, 2023

Date