

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Licence Number

Inspection Date

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

CAROL MCCLUSKEY 2009280			August 23,	August 23, 2024		
Facility Name		Telephone Number				
Daley Day Care 2			(506) 388-9	(506) 388-9019		
Address						
99 Highlandview Road Moncton NB E1A 2L1						
Name of Early Learning and Childcare Licensing Staff		Position Title				
Sophie Powers		Quality Assurance Monitor				
Order for Compliance	Reg	_	ate to be orrected	Date corrected		
11 The qualifications and training requirements for administrate educators are as follows: (a) an administrator and educators m valid first aid certificate and a valid cardiopulmonary resuscitaticertificate;	on		sep 16, 2024			
Comments: While verifying new staff member's files, one educator did not hold a first aid and CPR certificate. All educators must hold a valid first aid and CPR certificate. The operator can send a copy to the Quality Assurance Monitor via email to confirm compliance.						
24(1) For the purposes of subsection 20(1) of the Act, the followage records and documents shall be maintained on the premises of licensed facility: (b) child records that include: (ii) the name, act telephone number of the child's medical practitioner.	fa	(1)(b)(ii) A	ug 27, 2024			
Comments: In one out of 10 child record files verified, the phone number for the medical practitioner is missing. All child record files must include the name, telephone number and address of the child's medical practitioner. The operator must ensure that all child record files are complete.						
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (c) staff member records that include (vii) a convalid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	f a py of a	1)(c)(vii) S	sep 16, 2024			
Comments: While verifying new staff member's files, one educator did not hold a first aid and CPR certificate. All educators must hold a valid first aid and CPR certificate and insert a copy in their file. The operator can send a copy to the Quality Assurance Monitor via email to confirm compliance.						
29 An operator of a licensed facility shall ensure that the traffic the outdoor walk-ways of the licensed facility are free from obsand hazards.	tructions		ug 23, 2024	Aug 23, 2024		
Comments: During the monitoring inspection, the Quality blocked with toys. Emergency exits, traffic ar and hazards. The administrator immediately now compliant	ea and outdoor	walk-ways n	nust be kept free t	from obstructions		

General Comments

Name of operator

The Quality Assurance Monitor is on site for a monitoring inspection.

The following elements were verified during the visit:

General Comments

- Child record files and signed consents
- Outdoor play area
- Staff member's files

The outdoor play area is compliant to the ECS Act and regulation.

The child-to-staff ratio is respected.

During the visit, the children played indoors and transitioned to outdoor play.

The Quality Assurance Monitor and the administrator had a discussion regarding designation requirements. All staff members are on track with their 10 hours of professional learning, the quality improvement plan is up to date, and the members of the parent committee are having meetings.

original signed by			
Sophie Powers		August 23, 2024	
Signature of Early Learning and Childcare Licensing Staff	Date		
original signed by Sharon Mattinson		August 23, 2024	
	Doto	7 tagast 20, 202 t	_
Signature of Operator/Designate	Date		