

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2009428	Inspection Date July 13, 2020
Facility Name YMCA OF GREATER SAINT JOHN EARLY LEARNING CENTRE		Telephone Number (506) 693-9057
Address 223 St. James Street Saint John NB E2L 1W3		
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jul 13, 2020	
Comments: During todays inspection, there were cords within the electrical outlets (for fans) that would be accessible to some infants within their crib. One electrical outlet had tape over the end that was plugged into the outlet. This is still unsafe. Room to be rearranged immediately to eliminate access to cords/plugs. Ensure proper distance between cribs is still maintained.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Dec 04, 2019	Jul 13, 2020
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Dec 04, 2019	Jul 13, 2020
Comments: Deficiency is now compliant			
48(5) If more than one bottle-fed infant is receiving services at a licensed facility, the operator shall ensure that each bottle is (a) labelled with the child's name, (b) used only for the intended child.	48(5)	Jul 13, 2020	
Comments: There were 2 infant bottles within the fridge, but one was not labelled with the name of the child. Educator labelled this bottle during the time of inspection.			

<p><b>General Comments</b></p> <p>Monitoring Inspection-COVID-19 Recovery Phase.          Appropriate screening procedures are being implemented at the door. Facility is using a contact thermometer for children under 12 years of age for the mid day check.          Children appeared to be happy and engaged in activities today. Educators were engaged with the children (reading books, playing at their level) across all rooms. Invitations and books were set up throughout the rooms. Rooms appeared to be organized with a variety of materials and activities available for the children.          Hand washing routines were observed today with educators assisting and observing children as they washed. A healthy lunch was served (pasta and vegetables). Diaper changing was observed.          Discussed group logs with some educators and administrator. Ensure that the "date group established" is accurately reflecting this and that the actual date of the log is also recorded on each form for each day. The date for the "date group established" should only be changing when a new child is added to that group, and this</p>
--

General Comments

should only happen once per week.

Ensure that cords from any floor fans within the children's play space are affixed to the wall.

Going forward, the Essential Routine Service and Emergency Plan needs to be updated and signed when changes to the plan occur, prior to the child's return to the facility. Please advise once this is complete.

original signed by  
Breanne Jones

July 13, 2020

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of Operator/Designate

\_\_\_\_\_  
Date