

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 669315 NB INC.	Licence Number 2009607	Inspection Date June 20, 2023	
Facility Name Earthlings Childcare		Telephone Number (506) 878-7554	
Address 144 Oak Ridge Drive Moncton NB E1G 0M2			
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Jun 22, 2023	Jun 20, 2023
Comments: During the renewal inspection, the inspector observed that the renewal follow-up inspection is not posted in a visible place in the facility. During the inspection, the operator posted the renewal inspection report in a visible and prominent place inside the facility. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Jun 23, 2023	
Comments: During the renewal inspection, the inspector observed that 2 out of the 5 child files audited did not have any emergency contacts listed and that a third file only listed 1 emergency contact with no address. The operator must ensure that the name, address and telephone number of at least two people authorized by the child's parent to pick up the child and contact in case of emergency if the parents cannot be reached is noted in all children's files.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Jun 23, 2023	
Comments: During the renewal inspection, the inspector observed that the name, address and telephone number of the child's medical practitioner was missing in 2 of the 5 files audited. The operator must ensure that the child's file includes the name, address and telephone number of their medical practitioner.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Jun 28, 2023	
Comments: During the renewal inspection, the inspector observed that the fire extinguisher inspection was conducted in 2021. The operator must ensure that fire extinguishers are inspected annually.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.	27(c )	Jun 23, 2023	
Comments: During the renewal inspection, the inspector observed that consent for administering medication is missing in 1 of the 5 child files audited. The operator must ensure that consent for administering medication is provided by the parents.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jun 20, 2023	Jun 20, 2023
Comments: During the renewal inspection, the inspector observed cleaning products on top of the washer in an unlocked closet. During the inspection, an educator locked the closet. Deficiency is now compliant.			
41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas.	41(3)(a)	Jun 26, 2023	
Comments: During the renewal inspection, the inspector observed that diapers are placed in an open waste container. The operator must ensure that soiled diapers are placed in a tightly covered waste container.			

### General Comments

During the renewal inspection, the inspector observed indoor free play, story time, snack time and outdoor free play.

During the inspection, the inspector observed educators giving gentle reminders and kneeling to interact with children at eye level. The inspector also observed that orientation of the children is done in a positive and respectful way.

The ratio is respected during the inspection.

original signed by  
**Kyleigh Roy**

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

June 20, 2023

\_\_\_\_\_  
Date

original signed by  
**Roxanne Norris**

\_\_\_\_\_  
Signature of Operator/Designate

June 20, 2023

\_\_\_\_\_  
Date