

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 669315 NB INC.	Licence Number 2009607	Inspection Date October 03, 2023
Facility Name Earthlings Childcare		Telephone Number (506) 878-7554
Address 144 Oak Ridge Drive Moncton NB E1G 0M2		
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Sep 29, 2023	Sep 27, 2023
Comments: Documentation indicting compliancy was sent to the Quality Assurance Monitor. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Sep 29, 2023	Sep 27, 2023
Comments: Documentation indicting compliancy was sent to the Quality Assurance Monitor. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Oct 02, 2023	Sep 28, 2023
Comments: Documentation indicting compliancy was sent to the Quality Assurance Monitor. Deficiency is now compliant			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Oct 02, 2023	Oct 03, 2023
Comments: Documentation indicting compliancy was sent to the Quality Assurance Monitor. Deficiency is now compliant			

<p>General Comments</p> <p>Proof of compliance have been sent electronically. An on-site inspection has not ocured at this time. Another monitoring inspection will be conducted at a later date.</p>
--

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

October 10, 2023

Date

original signed by
Roxanne Norris

October 10, 2023

Signature of Operator/Designate

Date