

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 669315 NB INC.	Licence Number 2009607	Inspection Date April 03, 2024
Facility Name Earthlings Childcare		Telephone Number (506) 878-7554
Address 144 Oak Ridge Drive Moncton NB E1G 0M2		
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Apr 11, 2024	
Comments: This is a second reminder. In one out of 7 child record files verified, the information for the medical practitioner was missing. The operator must ensure that all child record files include the name, address and telephone number of the child's medical practitioner.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Apr 11, 2024	
Comments: This is a second reminder. In 3 out of 7 child record files verified, the addresses for the 2 emergency contacts are incomplete. The operator must ensure that all child record files include the name, address and telephone number of at least 2 emergency contacts.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Apr 11, 2024	
Comments: This is a second reminder. During the follow-up inspection, the monthly emergency evacuation and fire drills were not completed for the month of March. The operator must ensure that a fire drill is completed each month. This must be documented.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Apr 02, 2024	Apr 03, 2024
Comments: During the follow-up inspection, the Quality Assurance Monitor was able to confirm that a review of the outdoor play area was completed in March. Deficiency is now compliant			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Mar 19, 2024	Apr 03, 2024

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: During the follow-up inspection, the Quality Assurance Monitor audited 7 child record files. All files verified included proof of immunizations. Deficiency is now compliant			

General Comments

The Quality Assurance Monitor is on site for a follow-up inspection.

The ratio was respected at the time of the visit.

original signed by
Sophie Powers

Signature of Early Learning and Childcare Licensing Staff

April 03, 2024

Date

original signed by
Haley Silk

Signature of Operator/Designate

April 03, 2024

Date