

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Ann-Marie Adams	Licence Number 2010297	Inspection Date May 16, 2025	
Facility Name Sprouts Early Education Centre		Telephone Number (506) 848-0193	
Address 26 Gorham Road Quispamsis NB E2E 4V8			
Name of Early Learning and Childcare Licensing Staff Kiesha Cobbett		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	May 13, 2025	May 16, 2025
Comments: Review of Child Files: One child is missing their second emergency contact. To be added. Two children are missing the address for their second emergency contact. To be added. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	May 13, 2025	May 16, 2025
Comments: Review of Child Files: One child is missing a copy if their immunization record. To be added Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	May 13, 2025	May 16, 2025
Comments: Washroom: The heater in the washroom is rusted. To be painted. Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	May 13, 2025	May 16, 2025
Comments: White crib paint is chipped. To be painted. Deficiency is now compliant			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	May 13, 2025	May 16, 2025
Comments: Review of Child Files: One child is missing a copy if their immunization record. To be added Deficiency is now compliant			

General Comments

A follow-up inspection occurred today.

All deficiencies are now compliant.

Facility is recommended for licensing pending Fire recommendation.

original signed by
Kiesha Cobbett

Signature of Early Learning and Childcare Licensing Staff

May 16, 2025

Date

original signed by
Ann-Marie Adams

Signature of Operator/Designate

May 16, 2025

Date