

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date	
Elsipogtog Band		2010759				March 04, 2024	
Facility Name	,					Telephone	Number
Elsipogtog Headstart						(506) 523-8254	
Address					•		
361 Big Cove Roa	ad Elsipogtog First Nation NB E4W 2S3	3					
Name of Early Learning and Childcare Licensing Staff			Position Title				
Stephanie Hickey		Quality Assurance Monitor					
Order for Compliance			Regulation		Date to be corrected		Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;		ust hold a	11(a)		Mar 15, 2024		
a v Qu ce	nile verifying the staff records the Quality As valid first aid certificate and a valid CPR cert vality Assurance Monitor reminded the opera rtificate and a valid CPR certificate. The ope th children and will be registered to a course	ificate and eator that all erator confir	one s	staff mem members	ber's o	certificate is e contain a val	xpired. The id first aid
check or a vulnerab with the Department	f a licensed facility shall ensure that a crimin le sector check, as the case may be, and a t of Social Development is conducted on eac or she becomes a staff member.	check	12(2	2)	Nov 2	7, 2023	Feb 28, 2024
Comments: Wh	nile verifying the staff records, the Quality As ceived a copy of a check with social develop eficiency is now compliant		lonito	or was abl	e to ve	erify that the s	staff in question's
check or a vulnerab the Department of S	f a licensed facility shall ensure that a crimin le sector check, as the case may, and a che social Development is conducted on each stated ated person at least every five years.	eck with	12(3	3)	Mar 0	1, 2024	
\ v in c cri	hile verifying the staff records, the Quality As ulnerable sector check was expired. The Qu question to get a new copy as soon as the s minal check \ vulnerable sector check can b ceived.	uality Assura staff in ques	ance stions	Monitor r	notified done	I the operator . A picture of	who sent the staff the new copy of a
records and docume licensed facility: (b) address, birth date a	ses of subsection 20(1) of the Act, the follow ents shall be maintained on the premises of child records that include: (i) the child's nan and Medicare number,	a ne,)(b)(i)		4, 2024	
	one out of 7 child record verified, the child's						

Order for Compl	liance	Regulation	Date to be corrected	Date corrected		
records and docu licensed facility: telephone number	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (b) child records that include: (ii) the name, address and er of the child's medical practitioner.	24(1)(b)(ii)	Mar 04, 2024			
Comments:	In one out of 7 chid record verified, the address and telep missing. The Quality Assurance Monitor reminded the op number of the child's medical practitioner must be indicated	perator that the	e name , address ai			
records and docu licensed facility: telephone number parent or guardia emergency if the	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (b) child records that include: (iv) the name, address and er of at least two individuals authorized by the child's an to pick up the child and to be contacted in case of an a parent or guardian cannot be reached,		Mar 04, 2024			
Comments: In one out of 7 child records verified, one of the emergency contacts was the child's father. The Quality Assurance Monitor mentioned to the operator that an emergency contact should not be the child's parent or guardian, the operator asked if the same rule applied for parents who no longer live together. The Quality Assurance Monitor told the operator that no longer the parents living arrangement the 2 emergency contacts must be 2 people other than the child's parents or guardian.						
records and docu licensed facility: the staff member	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (iii) a description of r's duties and responsibilities.	24(1)(c)(iii)	Nov 22, 2023	Feb 28, 2024		
Comments: While verifying the staff records, the Quality Assurance Monitor was able to verify that the staff in question's description of duties and responsibilities were inserted in their file. Deficiency is now compliant						
records and docu licensed facility: declaration confi	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (iv) a signed rming that the staff member has read and understood his s under the Act and this Regulation.	24(1)(c)(iv)	Nov 22, 2023	Feb 28, 2024		
Comments: While verifying the staff records, the Quality Assurance Monitor was able to verify that the staff in question's Staff signed statement regarding obligations under the Act and licensing regulation were inserted in their file. Deficiency is now compliant						
records and docu	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (vi) a copy of a repartment of Social Development.	24(1)(c)(vi)	Nov 27, 2023	Feb 28, 2024		
Comments: While verifying the staff records, the Quality Assurance Monitor was able to verify that the staff in question's received a copy of a check with social development. Deficiency is now compliant.						
records and docu licensed facility: valid first aid cert certificate for each	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (vii) a copy of a tificate and a valid cardiopulmonary resuscitation ch administrator and educator.	24(1)(c)(vii)	Mar 15, 2024			
.While verifying the staff records the Quality Assurance Monitor noticed that 3 staff member does not contain a valid first aid certificate and a valid CPR certificate and one staff member's certificate is expired. The Quality Assurance Monitor reminded the operator that all staff members must contain a valid first aid certificate and a valid CPR certificate. The operator confirms that the staffs in question are never left alone with children and will be registered to a course shortly.						
records and docu	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (f) daily attendance records of the children on forms	24(1)(f)	Feb 28, 2024			

Order for Comp	pliance	Regulation	Date to be corrected	Date corrected		
Comments:	While on site the Quality Assurance Monitor noticed attendance sheet was left inside. The Quality Assura and told her that the educators must take their attendance.	nce Monitor brou	ght this to the atten	tion of the operator		
parent or guard before doing an	of a licensed facility shall obtain the written consent of ian of a child receiving services at the licensed facility y of the following: (c) permitting the administration of the circumstances set out in section 46.	a 27(c)	Mar 04, 2024			
Comments:	In out of 7 child record verified, the consent box for a Quality Assurance Monitor explained to the operator t know if the parent wanted to check yes or no, so to child acetaminophen.	that even if the si	gnature was preser	nt, the facility doesn'		
is inaccessible t	ed facility shall have a separate locked storage space the to the children for each of the following: (a) toxic products and cleaning supplies;		Feb 28, 2024	Feb 28, 2024		
Comments:	While on site the Quality Assurance Monitor observe cabinet. The Quality Assurance Monitor places the p the locked cabinet, the Quality Assurance Monitor not Assurance Monitor brought the key to the operator a inaccessible to children as it opens a cabinet that coraway. Deficiency is now compliant	roduct in the lock ticed that the key nd explained to th	ed cabinet. While pl was left in the lock se operator that the	acing the product in . The Quality key should be		
	ed facility shall have a separate locked storage space the to the children for each of the following: (b) medications		Feb 28, 2024	Feb 28, 2024		
Comments:	While on site the Quality Assurance Monitor noticed a bottle of naproxen menstrual pain relief capsule in an unlocked cabinet. The Quality Assurance Monitor gave the bottle of capsule to the operator and asked the operator to put it in a locked cabinet. The Quality Assurance Monitor also reminded the operator of the importance of locking medication so that they are not accessible to children. Deficiency is now compliant.					
General Com	ments					
The Quality As Ratio was resp	ssurance Monitor is on site for a monitoring inspected.	ction.				
	Assurance Monitor arrived on site children were vong after the Quality Assurance Monitor arrived or					
Signature of E	original signed by Stephanie Hickey Early Learning and Childcare Licensing Staff	N Date	March 01, 2024			
- 19.13.13.0 31 -						
	original signed by Rena Simon	N	1arch 01, 2024			
Signature of Operator/Designate		Date				