

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of oper	ator	Licence I	Num	ber		Inspection	Date
Katie Bee's C	hildren's Center Inc.	2011083				July 14, 20	21
Facility Name						Telephone	Number
Katie Bee's C	hildren's Center					(506) 363-	5537
Address							
200 Crocks Po	oint Road Keswick Ridge NB E6L 1T5						
Name of Early	/ Learning and Childcare Licensing Staff			Positior	n Title		
Tanya Gaude	t			Inspect	or		
Order for Comp	pliance		Reg	ulation	Date corre		Date corrected
records and doc licensed facility:	urposes of subsection 20(1) of the Act, the follow cuments shall be maintained on the premises of (a) financial records.		24(1)(a)	Jul 16	6, 2021	Jul 14, 2021
Comments:	Deficiency is now compliant						1
records and doo licensed facility: valid first aid ce certificate for ea	urposes of subsection 20(1) of the Act, the follow cuments shall be maintained on the premises of (c) staff member records that include (vii) a cop rtificate and a valid cardiopulmonary resuscitation ach administrator and educator.	a by of a on)(c)(vii)		3, 2021	
Comments:	While reviewing staff files, licensing staff noted certification. The educator is scheduled to rem						
prominent place	of a licensed facility shall post in a clearly visible on the premises: (c) instructions regarding evants approved by the fire marshal, deputy fire marsher.	acuation in	25(c	;)	Jul 16	5, 2021	
Comments:	Licensing staff only observed the evacuation p entrance or the space where the children's be				om do	wnstairs and	not at the
	of a licensed facility shall post in a clearly visible on the premises: (e) the name and telephone	e and	25(€		Jul 16	5, 2021	
Comments:	Licensing staff observed the name and contact the Inspector's name or contact information. F information of both the Quality Assurance Mor	Please upda	ate tł	ne commu	unicatio		
	or shall maintain the indoor play area of a licens afety of the children.	sed facility	30(3	3)	Jul 14	4, 2021	Jul 14, 2021
Comments:	Deficiency is now compliant						
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.			31(3	3)	Jul 14	1, 2021	Jul 14, 2021
Comments:	Deficiency is now compliant						
	equipment in the outdoor play area shall be su surfacing and installed according to the manufac		33(2	2)	Jul 16	5, 2021	

acked do <u>e mulch tr</u> a) J J J f allergies communic	acked down. <u>e mulch to m</u> a) Jul 1 Jul 1 Jul 1 Jul 1 Jul 1 of allergies for communication to conduct the second	 Please till the neasure 30 cr 14, 2021 14, 2021 14, 2021 16, 2021 14, 2021 14, 2021 14, 2021 the centre with the centre with	Jul 14, 2021 Jul 14, 2021 Jul 14, 2021 Jul 14, 2021 was in this file. parents and for n
a) Ji	a) Jul 1 Jul 1 Jul 1 Jul 1 of allergies for communicati	14, 2021 14, 2021 16, 2021 16, 2021 14, 2021 or the centre w ion board for the licensing	Jul 14, 2021 Jul 14, 2021 Jul 14, 2021 Jul 14, 2021 was in this file. parents and for n
of allergies communic	Jul 1 Jul 1 of allergies for communicati to conduct tl	16, 2021 14, 2021 or the centre w ion board for the licensing	Jul 14, 2021 was in this file. parents and for no
of allergies communic	Jul 1 Jul 1 of allergies for communicati to conduct tl	16, 2021 14, 2021 or the centre w ion board for the licensing	Jul 14, 2021 was in this file. parents and for no
of allergies communic	Jul 1 of allergies for communicati to conduct tl	14, 2021 or the centre w ion board for the licensing	was in this file. parents and for n
of allergies communic	of allergies for communicati	or the centre w ion board for he licensing	parents and for n
communic	communicati	ion board for he licensing	parents and for n
estions al	estions abou	ut things the	. The children ey discovered educator where
nsite con	nsite condu	icting the lice	ense renewal
k and key	k and key to	ensure the	safety of the
hazards	hazards.		
olay spac	olay space.	Please ens	sure there are
		ires to be at	acked down very easily ires to be at least 30 cn blay space. Please ens July 14, 2021

Signature of Operator/Designate

July 14, 2021

Date