



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Holly MacDonald	Licence Number 2011154	Inspection Date June 22, 2021	
Facility Name Birchwood Preschool		Telephone Number (506) 206-4455	
Address 23 Lloyd Street Hanwell NB E3C 1M4			
Name of Early Learning and Childcare Licensing Staff Susan Dickeson		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected

General Comments
<p>On the day of my visit the children were playing at the table with food colour, water, pipettes and paper. They were experimenting with mixing colours. The two babies were napping and they got up while I was visiting and had their diapers changed when they awoke. Both babies are 20 months and Holly changes them on the changing mat on the floor. When she has children under 15 months she will add a change table. The downstairs rooms are well set up for the children's use as is the outside play area. We talked about adding a drying rack for their drawings in the play room.</p> <p>The children went outside to play before it rained. The Operator gave them water in pails and they have a sand box and lots of toys in their toy box. The Operator took the Taking the Inside Outside training from Lisa Murphy and she wants to add a little house for books, an Art easel, a chalk board and she has a container of Art supplies that she already brings out for the children that stays outside.</p> <p>Everyone was content and the routine was calm and child appropriate.</p>

original signed by  
Susan Dickeson

---

Signature of Early Learning and Childcare Licensing Staff

June 22, 2021

---

Date

original signed by  
Holly MacDonald

---

Signature of Operator/Designate

June 22, 2021

---

Date