

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Rothesay Baptist Church Inc.	Licence Number 2011633	Inspection Date March 29, 2022
Facility Name LITTLE BLESSINGS DAYCARE AND PRESCHOOL		Telephone Number (506) 848-6373
Address 30 Vincent Road Quispamsis NB E2E 1A2		
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(3) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may, and a check with the Department of Social Development is conducted on each staff member and associated person at least every five years.	12(3)	Feb 18, 2022	Feb 18, 2022
Comments: Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Feb 28, 2022	Mar 29, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Feb 28, 2022	Feb 18, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Apr 01, 2022	
Comments: One staff member's CPR/First Aid training has expired and has not yet registered for a course to renew. Staff must register for an upcoming course and forward this proof of registration to inspector. If staff is to work before recertification, they can not be left alone with children. Previous comply by date of Feb.28/22.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Feb 14, 2022	Mar 29, 2022
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Feb 18, 2022	Mar 29, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Feb 25, 2022	Mar 29, 2022
Comments: Deficiency is now compliant			

General Comments
<p>Follow up to renewal inspection was completed today. One outstanding order remains. Once email verification is received that staff has been registered for CPR/First Aid, this will be corrected.</p> <p>Topics of interest were easily identifiable within both rooms today. Materials and props have been added to the environment to support this. Ensure programming is documented moving forward (ex: planning sheets, charts, ideas, and a binder with past planning and activities that have been completed. This will allow licensing staff to review documentation and ensure that purposeful planning is occurring.</p> <p>Outdoor play area was inspected today (as it was snow covered at time of renewal). The fencing at the bottom of the gate to enter the play area is becoming unraveled and requires repairs. One swing on the swing set of the upper hill is broken-to be repaired or removed. The fencing in the corner at the top of the hill also requires repairs. Administrator to send email verification for anticipated date for outdoor play area repairs.</p>

original signed by
Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

March 29, 2022

Date

original signed by
Claudette Goodyear

Signature of Operator/Designate

March 29, 2022

Date