

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator FAMILY TIES PLAY CARE INC	Licence Number 2012117	Inspection Date September 09, 2020
Facility Name FAMILY TIES AFTER SCHOOL PROGRAM		Telephone Number (506) 214-6789
Address 166 Tower Street Saint John NB E2M 1Z2		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary licence issued under section 29.	21(a) – (d)	Aug 24, 2020	Aug 25, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Aug 19, 2020	Aug 25, 2020
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer.	25(c)	Aug 24, 2020	Aug 25, 2020
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Aug 24, 2020	Aug 18, 2020
Comments: Deficiency is now compliant			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (c) on each outing.	44(c)	Aug 24, 2020	Aug 18, 2020
Comments: Deficiency is now compliant			

General Comments Follow up to renewal inspection occurred today. All outstanding orders for compliance were completed. Awaiting recommendation from Public Health to issue license renewal. License is in continuance until this is received.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

August 20, 2020

Date

original signed by
Penny Buck

Signature of Operator/Designate

August 20, 2020

Date