

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		e Number			Inspection Date			
Dieppe Boys and Girls Club Inc. 201218					May 11, 2023			
Facility Name					Telephone Number			
bgc Dieppe					(506) 857-3807			
Address								
76 rue Emmanuel Dieppe NB E1A 2J5								
Name of Early Learning and Childcare Licensing Staff			Position Title					
Sarah MacDougall			Inspector					
Order for Compliance			Regulation Date corre			Date corrected		
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.			21(a) – (d) May		18, 2023			
Comments: The most recent renewal inspection report is not posted in a visible and prominent place in the facility. Administrator must ensure that this information is posted.								
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,					5, 2023			
Comments: 1 of the audited children's records is missing the full address for 1 emergency contact. Administrator must ensure that the full address is indicated for each emergency contact. Recommendation that all children's files be reviews in order to ensure that all required information is indicated.								
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.		24(1)(c)(iii) Jun (5, 2023				
Comments: 1 staff file is missing a copy of th	eir job description. Admi	nistra	ator must	ensure	e that this in	formation is added.		
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.					5, 2023			
Comments: 1 staff file is missing a signed standard Administrator must ensure that the		bliga	itions unc	ler the	Act and lice	nsing regulation.		
25 An operator of a licensed facility shall post in a prominent place on the premises: (e) the name at the inspector.	a clearly visible and nd telephone number of	25(€			11, 2023	May 11, 2023		
Comments: The name of the inspector was no during the inspection. The name Deficiency is now compliant								

Order for Compliance		Regulation	Date to be corrected	Date corrected			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (g) transporting or providing for the transportation of the child.			Jun 05, 2023				
Comments:	1 of the audited children's records is missing the conse Recommendation that all children's files be reviews in indicated.						
on a form provid while a child is re missing or tempo the facility; (c) a transit of the chil	or of a licensed facility shall complete an incident report led by the Minister if one of the following incidents occu eceiving services at the licensed facility: (a) the child is orarily unsupervised; (b) a fire or other disaster occurs a motor vehicle accident or an injury occurs during the ld; (d) an illness or injury requires the transfer of the chi (e) the child dies.	rs at	May 11, 2023	May 11, 2023			
Comments: Inspector was advised that the facility had an unexpected closure approximately 2 weeks ago, as there was no electricity in the building. An incident report was not provided to the Quality Assurance Monitor. Incident reports must be filled out and provided to the QAM with in 24 hours of the incident occurring. Administrator sent a copy of the incident report to their QAM. Deficiency is now compliant							
	ator of a licensed facility shall (c) forward the original to in 24 hours of the incident.	51(3)(c)	May 11, 2023	May 11, 2023			
Comments: Inspector was advised that the facility had an unexpected closure approximately 2 weeks ago, as there was no electricity in the building. An incident report was not provided to the Quality Assurance Monitor. Incident reports must be filled out and provided to the QAM with in 24 hours of the incident occurring. Administrator sent a copy of the incident report to their QAM. Deficiency is now compliant							
General Comr	nents						
observed snac	newal Inspection, Inspector observed the children a k time and free play.	arriving to the fa	acility from school	. Inspector			
Ratio was resp	ected during the inspection.						
Signature of E	original signed by Sarah MacDougall arly Learning and Childcare Licensing Staff	N Date	May 12, 2023				
0:	original signed by Kelly Guignard		May 12, 2023				
Signature of Operator/Designate		Date					