

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date		
·		2012316	2012316			April 09, 2025		
Facility Name						Telephone Number		
Little Harvard Early Learning Centre						(506) 632-1300		
Address								
531 Dunn Ave	enue Saint John NB E2M 2W6							
Name of Early Learning and Childcare Licensing Staff			Position Title					
Kiesha Cobbett			Inspector					
Order for Comp	rder for Compliance				Date corre		Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of a emergency if the parent or guardian cannot be reached,		a ddress and child's	24(1)	(b)(iv)	May '	19, 2025		
Comments:	Random Review of Child Files: One child missing both addresses for emerger	ncv contacts	s. To	be adde	ed.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).		ving a aff		(c)(ii)		19, 2025		
Comments:	Review of Staff Files: One staff missing a copy of their ECE certifica	ite. To be a	added					
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.		lighting,	28(3)		May	19, 2025		
Comments:	Washroom: Heater is rusted. To be painted. Toilet seat worn. To be replaced.	,			•		,	
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.					May '	19, 2025		
Comments:	Floor vent in the two and four-year-old room ru	usted. To be	e pair	nted.				
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.			31(3))	May	19, 2025		
Comments:								
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;			39(2)	(a)	Apr 0	9, 2025	Apr 09, 2025	

Order for Com	npliance	Regulation	Date to be corrected	Date corrected					
Comments:	Washroom: Mr. Clean found on top shelf unlocked. To be locked compliant	ed. Corrected during inspection. Deficiency is now							
General Com	nments								
A renewal ins	spection occurred today.								
coloring pictu	were observed reading stories with their educators res. All classrooms were observed going outside. snow, sliding down the slide, riding in cars, making	While outside th	e children were	observed					
play and conv	ms were set up with age-appropriate toys and markersations with the children. The documentation a ck Curriculum Framework.								
Diaper chang	ing and hand washing procedures were observed	l.							
Transitions from the classroom to the washroom ran smoothly. The educator brought a basket of quite materials for the children to use while waiting their turn to use the washroom.									
The following infant toddler	records were reviewed: Incident logs, fire drills, p daily sheets.	layground check	s, daily attenda	nce sheets, and					
All staff files v	were viewed, and a random review of child files wa	as completed.							
Signature of	original signed by Kiesha Cobbett Early Learning and Childcare Licensing Staff	Date	April 09, 2025						
Signature of	original signed by Sarah Whalen		April 09, 2025						
Signature of	Operator/Designate	Date							