



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Indoor Sports Management Group LTD.	Licence Number 2012365	Inspection Date April 07, 2022
Facility Name SportsDome Academy		Telephone Number (506) 382-7529
Address 125 Russ Howard Drive Moncton NB E1C 0L7		
Name of Early Learning and Childcare Licensing Staff Jessica Belliveau-Doiron		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (k) emergency evacuation and fire drill records.	24(1)(k)	Apr 28, 2022	
Comments: Monthly emergency evacuation and fire drills are incomplete. Emergency evacuation and fire drills need to be done monthly and documented.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Apr 28, 2022	
Comments: Monthly emergency evacuation and fire drills are incomplete. Emergency evacuation and fire drills need to be done monthly and documented.			
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Apr 28, 2022	
Comments: Most cubies are not labeled with the child's names. Each cubby needs to be identified with the child's name.			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	Apr 06, 2022	Apr 06, 2022
Comments: An item was missing in the First Aid kit. Operator replaced the item while on-site. Deficiency is now compliant			

General Comments
Inspector was on-site for the renewal inspection. Children were excited to receive their Olympic shirts as they will start Olympic activities.
Inspector had a conversation with the administrator regarding parents now being allowed to enter the center at any time.

original signed by  
Jessica Belliveau-Doiron

April 07, 2022

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by  
Dana Barron

---

Signature of Operator/Designate

April 07, 2022

---

Date