

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Licence Number

2012365

Inspection Date

February 23, 2023

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

That of opons wanagement Group ETD.		2012000	500			1 Coldary 20, 2020		
Facility Name						Telephone	Number	
SportsDome Academy						(506) 382-7529		
Address								
125 Russ Howard Drive Moncton NB E1C 0L7								
Name of Early Learning and Childcare Licensing Staff				Position Title				
Sophie Powers			Quality Assurance Monitor					
Order for Compliance		F	3		Date to be corrected		Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.			24(1)	Feb 2		8, 2023		
Comments: In one staff member's file, the description of duties and responsibilities were missing. A job description must be inserted in all staff members' file.								
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.			24(1)(c)(iv) Feb 2		Feb 2	8, 2023		
Comments: One staff didn't have a signed statement regarding obligations under the Act and licensing regulations. A signed declaration must be placed into each staff member's file.								
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;		pace that groducts,	39(2)					
Comments: Bottles of Febreze and Lysol wipes were found in a place accessible to children. Toxic products, chemical products and cleaning supplies must be locked and inaccessible to children.								
is inaccessible to the chi	shall have a separate locked storage splidren for each of the following: (b) medi	cations.		` '		3, 2023	Feb 23, 2023	
Comments: Facility has a separate locked storage space for medication, but the key was in the lock. Medications must be locked and inaccessible to children. Administrator immediately put the key away. Deficiency is now compliant								

## **General Comments**

Name of operator

Indoor Sports Management Group LTD.

Monitoring inspection conducted.

During the visit, QA monitor verified storage spaces. Administrator was informed of the importance of storing toxic products, cleaning products and medications in a locked storage space.

She also entered a new staff member's information into the system. Programming book was verified. The facility has a good variety of purposely planned activities. Other than playing sports with the children, QA monitor was able to see that other opportunities were available. Opportunities such as ways to explore various

General Comments	_
forms of literacy, ways to express creativity and interests, arts, sciences and much more.	
QA monitor and administrator had a discussion regarding article 10(6) of the Act and licensing regulations. The number of children grouped at a full-time early learning and childcare center shall not be more than the number that requires 2 educators. The operator needs to have a plan to divide the group into several groups when the number requires more than 2 educators. During the next inspection, QA monitor or inspector will verify if a plan is in place when numbers require more than 2 educators.	
original signed by	

original signed by Sophie Powers	February 24, 2023			
Signature of Early Learning and Childcare Licensing Staff	Date	•		
original signed by				
Dana Barron		February 24, 2023		
Signature of Operator/Designate	Date			