

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Cassel Enterprises Ltd.	Licence Number 2012480	Inspection Date March 18, 2021
Facility Name Hands On Learning Center Moncton School Age		Telephone Number (506) 877-4263
Address 2181 Mountain Road Moncton NB E1G 1B6		
Name of Early Learning and Childcare Licensing Staff Ashley Kelly		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Feb 26, 2021	Mar 16, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Feb 26, 2021	Mar 16, 2021
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (a) the daily routine.	25(a)	Feb 19, 2021	Mar 16, 2021
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	Feb 17, 2021	Mar 16, 2021
Comments: Deficiency is now compliant			
30(1) A full-time or part-time early learning and childcare centre shall have an indoor play area of at least 3.25 m ² for each child receiving services at the centre.	30(1)	Mar 16, 2021	Mar 16, 2021
Comments: 11 children in a space allocated for 8 children. Staff member realized during inspection and moved children to meet requirements. Deficiency is now compliant			
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.	37	Feb 17, 2021	Mar 16, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Feb 17, 2021	Mar 16, 2021
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Feb 17, 2021	Mar 16, 2021
Comments: Deficiency is now compliant			

General Comments
<p>Previous inspection report indicated non-compliance for 28(3)(b) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act. This non-compliance is now cited under 30(1) A full-time or part-time early learning and childcare centre shall have an indoor play area of at least 3.25 m² for each child receiving services at the centre. Art room should not exceed 8 children unless all children are eating snack or lunch.</p> <p>Children engaged in painting and free play at time of inspection. Positive child guidance observed.</p> <p>All requirements for renewal have been met.</p>

original signed by
Ashley Kelly

March 16, 2021

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Jennifer Bainbridge

March 16, 2021

Signature of Operator/Designate

Date