

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|---|---------------------------|--------------------------------------|
| Name of operator Cassel Enterprises Ltd. | Licence Number 2012480 | Inspection Date November 22, 2023 |
| Facility Name Hands On Learning Center Moncton School Age | | Telephone Number (506) 877-4263 |
| Address 2181 Mountain Road Moncton NB E1G 1B6 | | |
| Name of Early Learning and Childcare Licensing Staff Kyleigh Roy | | Position Title Inspector |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|--|--------------|----------------------|----------------|
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner. | 24(1)(b)(ii) | Nov 30, 2023 | |
| Comments: During the renewal inspection, the inspector observed that the name, address and telephone number of the child's medical practitioner is missing in one of the eight child files audited. The operator must ensure that the child's file includes the name, address and telephone number of their medical practitioner. | | | |
| 27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (g) transporting or providing for the transportation of the child. | 27(g) | Nov 30, 2023 | |
| Comments: During the renewal inspection, the inspector observed that consent for transporting the child or providing transportation is missing in four of the eight child files audited. The operator must ensure that consent for transporting the child or providing transportation is provided by the parents. | | | |
| 27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (j) permitting photographs and videos to be taken of the child for publication or social media. | 27(j) | Nov 30, 2023 | |
| Comments: During the renewal inspection, the inspector observed that consent for permitting photographs and videos of child for publication on social media is missing in two of the eight child files audited. The operator must ensure that consent for permitting photographs and videos of child for publication on social media is provided by the parents. | | | |
| 30(1) A full-time or part-time early learning and childcare centre shall have an indoor play area of at least 3.25 m ² for each child receiving services at the centre. | 30(1) | Nov 22, 2023 | Nov 22, 2023 |
| Comments: During the renewal inspection, the inspector observed 9 children in a room with a maximum capacity of 8 children and 6 children in a room with a total capacity of 3 children. During the inspection, the inspector informed an educator that the maximum capacity was not being respected in two rooms consequently, an educator asked some children to leave the rooms. The operator must ensure that all children have 3.25 m ² of indoor play space. Deficiency is now compliant. | | | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. | 32(1)(d) | Nov 22, 2023 | Nov 22, 2023 |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|-----------------|----------------------|---------------------|
| <p>Comments: During the renewal inspection, the inspector observed that a folding mattress located in the reading room is ripped and that the foam is exposed. During the inspection, an educator immediately removed the mattress from the facility. Deficiency is now compliant.</p> | | | |
| <p>33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.</p> | <p>33(2)</p> | <p>Dec 08, 2023</p> | |
| <p>Comments: During the renewal inspection, the inspector observed that protective surfacing is lacking around the outdoor play structure. The operator must ensure that the play structure in the outdoor play area is surrounded by the appropriate depth of protective surfacing as prescribed in the manufacturer's manual.</p> | | | |
| <p>39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;</p> | <p>39(2)(a)</p> | <p>Nov 22, 2023</p> | <p>Nov 22, 2023</p> |
| <p>Comments: During the renewal inspection, the inspector observed a bottle of Febreze on a high shelf in an unlock storage area beside the bathroom. During the inspection, the administrator placed the bottle of Febreze in a locked storage area. Deficiency is now compliant.</p> | | | |

| |
|--|
| <p>General Comments</p> |
| <p>During the renewal inspection, the inspector observed snack, indoor and outdoor free play.</p> <p>The ratio is respected during the inspection.</p> |

original signed by
Kyleigh Roy

 Signature of Early Learning and Childcare Licensing Staff

November 28, 2023

 Date

original signed by
Lisa Greene

 Signature of Operator/Designate

November 28, 2023

 Date