

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Cassel Enterprises Ltd.	Licence Number 2012480	Inspection Date January 11, 2024
Facility Name Hands On Learning Center Moncton School Age		Telephone Number (506) 877-4263
Address 2181 Mountain Road Moncton NB E1G 1B6		
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Nov 30, 2023	Jan 11, 2024
Comments: During the follow-up inspection, the inspector observed that the name, address and telephone number of the children's medical practitioner is noted in the 4 child files audited. Deficiency is now compliant.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (g) transporting or providing for the transportation of the child.	27(g)	Nov 30, 2023	Jan 11, 2024
Comments: During the follow-up inspection, the inspector observed that consent for transporting or providing transportation to the children is present in the 4 child files audited. Deficiency is now compliant.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (j) permitting photographs and videos to be taken of the child for publication or social media.	27(j)	Nov 30, 2023	Jan 11, 2024
Comments: During the follow-up inspection, the inspector observed that consent for permitting photographs and videos of the children for publication or social media is present in the 4 child files audited. Deficiency is now compliant.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Dec 08, 2023	
Comments: Not Observed			

<p><b>General Comments</b></p> <p>The inspector observed indoor free play during the follow-up inspection.</p> <p>During the inspection the ground was snow covered; therefore, the park assessment will be conducted in the spring with a member of the licensing team. The use of the outdoor play structures is not recommended as the ground is frozen and does not provide protective surfacing.</p> <p>The ratio is respected during the inspection.</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

original signed by  
Kyleigh Roy

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

January 11, 2024

\_\_\_\_\_  
Date

original signed by  
Jennifer Bainbridge

\_\_\_\_\_  
Signature of Operator/Designate

January 11, 2024

\_\_\_\_\_  
Date