

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator M&K Talbot Childcare Centre Inc.	Licence Number 2013016	Inspection Date June 27, 2022
Facility Name Wee College Corner		Telephone Number (506) 854-1600
Address 10 Evergreen Drive Moncton NB E1G 1N1		
Name of Early Learning and Childcare Licensing Staff Mireille Comeau		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(4) An operator shall ensure that the outdoor play area of a licensed facility (a) includes a shaded area that is at least 10% of the outdoor play area.	31(4)(a)	Jul 04, 2022	
Comments: While conducting the renewal inspection, the inspector observed that there was not 10% shade in the outdoor play. The operator shall ensure that the outdoor play of a licensed facility includes a shaded area that is at least 10% of the outdoor play. The inspector had a conversation with the administrator regarding the 10% and she advises the inspector that some shaded area will be added.			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.	31(4)(b)	Jul 11, 2022	
Comments: While conducting the renewal inspection, the inspector observe that there was not more than one surface in the outdoor play area. The operator shall ensure that the outdoor play area of a licensed facility consists of more than one surface to permit different types of play. The inspector had a conversation with the administrator regarding the one surface in the outdoor play and she advises the inspector that more surfaces will be added.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Jun 27, 2022	Jun 27, 2022
Comments: While conducting the renewal inspection, the inspector observed that the medication was stored and lock in a top storage in the infant classroom. The way the lock was put on, the inspector was able to open the door halfway. The educator put the lock tighter and the door was not able to open. Deficiency is now compliant			
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space.	39(3)	Jun 27, 2022	Jun 27, 2022
Comments: While conducting the renewal inspection, the inspector observed that the medication used for anaphylactic shock was locked. Medications administered in cases of anaphylactic shock shall not be stored in a locked space. The medication was removed for the lock storage and stored in the first aid kit that is not accessible to the children. Deficiency is now compliant			

<b>General Comments</b>  While conducting the renewal inspection, the inspector observed the educators engage with children a variety of activities.
--

General Comments

Children's work is well displayed.

original signed by  
Mireille Comeau

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

June 29, 2022

\_\_\_\_\_  
Date

original signed by  
Cara Fillier

\_\_\_\_\_  
Signature of Operator/Designate

June 29, 2022

\_\_\_\_\_  
Date