

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator KAREN LINDSAY	Licence Number 2013223	Inspection Date February 18, 2025
Facility Name East Coast Kids Child Care & Learning Center		Telephone Number (506) 962-5868
Address 31 School Lane Hillsborough NB E4H 3B8		
Name of Early Learning and Childcare Licensing Staff Veronique Berube		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Mar 18, 2025	
Comments: The Quality Assurance Monitor observed that only the monitoring inspection report was posted in a visible prominent place in the facility. The Quality Assurance Monitor reminded the administrator that both the annual inspection report and the monitoring inspection report must be posted in a visible prominent place in the facility. A picture of the annual inspection report posted can be sent to the Quality Assurance Monitor via email.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Feb 12, 2025	Feb 12, 2025
Comments: The Quality Assurance Monitor observed a bottle of windex and a bottle of clorox wipes on a shelf that was not locked. Toxic products, chemical products and cleaning supplies must be locked and inaccessible to children. The educator immediately locked the product Deficiency is now compliant			

<p>General Comments</p> <p>The Quality Assurance Monitor is on site for a monitoring inspection. The ratio was respected during the monitoring.</p> <p>The Quality Assurance Monitor verified the following elements:</p> <ul style="list-style-type: none"> -Checks -Staff member records -Administrative records maintained on site -Storage space -child guidance -Posting is in a prominent and visible place in the facility <p>The QAM observed the children eating their snack, creating an art work with a box and paint for valentines day and also playing with magnet bloc. The QAM also observed in another classroom the children creating valentines day cards, playing lego and imaginary play. Positive interactions were also observed between the</p>
--

General Comments

children and the educators.

The QAM also observed two children who were not feeling good. The educator took the children's temperature. The parents were informed of their children being sick, the potential illness report form was also completed. The children were also separated from the other children while being supervised.

The QAM had a discussion with the educator in charge regarding the first aid and CPR certificate of one educator. The QAM was not able to determine if the certificate was valid or not. The operator must ensure that the first aid and CPR certificate is from a course recognized by WorkSafeNB. A proof via email can be sent to the Quality Assurance Monitor after communicating with WorkSafeNB.

original signed by
Veronique Berube

Signature of Early Learning and Childcare Licensing Staff

February 18, 2025

Date

original signed by
Unable to obtain operators signature

Signature of Operator/Designate

February 18, 2025

Date