

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Licence Number

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

ORIGINS NATURAL LEARNING CHILDCARE LTD		2013364				September 02, 2020	
Facility Name						Telephone	Number
ORIGINS NLC 364						(506) 634-1979	
Address							
99 Burpee Av	enue Saint John NB E2K 3V9						
Name of Early Learning and Childcare Licensing Staff			Position Title				
Patricia Kelley			Inspector				
Order for Compliance			_		Date		Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;			11(a)		Sep 15, 2020		
Comments:	One staff without a valid first aid and CPR cert One staff without recognized first aid/CPR trai						
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.			24(1)(c)(vii) Sep		Sep 1	5, 2020	
Comments: One staff without a valid first aid/CPR certificate. One staff without recognized first aid/CPR training.							
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.			28(3)(a) Sep		Sep 0	1, 2020	
Infrared thermometer and pen at sign in table not sanitized between users. Did not observe assigned staff screening parents/essential visitors entering the building. If assigned staff leaves the screening area, the entrance door should be locked and parents/essential visitors are to call the facility for screening and entry into the building.							
is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;						1, 2020	
Comments:	Room 9: Toxic product inaccessible to infants	but unlocke	d or	shelf in I	oathro	om.	
guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.			50(2	·)	Sep 0	1, 2020	
Comments:	One incident log not signed by parent.						

Name of operator

Inspection Date

General Comments

The children's learning environments were observed to be clean and well organized during the renewal inspection. Educators participated in the inspection process and they have established cleaning routines to meet COVID-19 protocols. Children were exploring the interest centers and engaging in activity. Educators were at the children's level and responsive to their needs and interests. Documentation in the rooms and posted outside of the rooms supports the children's experiences through learning. Many displays of the children's art creations and mark-making!

A balance of indoor and outdoor play was observed. Sensory opportunities in the infant outdoor play area are great additions and meet the guidelines for COVID-19.

The qualifications and training requirements are currently not being met as per Licensing Regulation 11(c) at a full-time early learning ad childcare centre,

- (ii) on and after July 1, 2020,
- (A) a least 50% of educators must hold a one year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.

Ensure that emergency contact lists in first aid bags are updated as new children join each group.

Be sure to add staff names and time in/out to Daily Group Logs when covering breaks.

original signed by					
Patricia Kelley	September 01, 2020				
Signature of Early Learning and Childcare Licensing Staff	Date				
original signed by					
Kate Francis	Se	ptember 01, 2020			
Signature of Operator/Designate	Date				