

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator DIVINE MERCY CATHOLIC SCHOOL INC.	Licence Number 2013382	Inspection Date January 05, 2021
Facility Name DIVINE MERCY CATHOLIC PRESCHOOL		Telephone Number (506) 214-5556
Address 30 Douglas St Saint John NB E2K 0G5		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number, https://amandapro.gnb.ca/AMANDA5/images/greenbar-bar.gif	24(1)(b)(i)	Oct 14, 2020	Oct 16, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Oct 14, 2020	Oct 16, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Oct 14, 2020	Oct 16, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Oct 14, 2020	Oct 16, 2020
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (g) whether a child receiving services at the licensed facility has a life-threatening allergy and a description of that allergy.	25(g)	Oct 14, 2020	Oct 23, 2020
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 02, 2020	Oct 16, 2020
Comments: Deficiency is now compliant			

General Comments

A follow up to the renewal inspection was conducted today. All outstanding orders for compliance are met and the facility is recommended for license renewal pending recommendation from Public Health.

Children were observed in inside play, snack and getting ready for outside play during inspection.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

October 16, 2020

Date

original signed by
Jennifer Hachey

Signature of Operator/Designate

October 16, 2020

Date