



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Northend Learning Center Inc.	Licence Number 2013610	Inspection Date July 03, 2025
Facility Name Northend Learning Center 2	Telephone Number (506) 384-5437	
Address 96 Gorge Road Moncton NB E1G 1E6		
Name of Early Learning and Childcare Licensing Staff Veronique Berube	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jun 26, 2025	Jul 03, 2025
Comments: The Quality Assurance Monitor observed that the protective surface was added in the necessary places in the outdoor play area. The Quality Assurance Monitor had a discussion with the administrator regarding the importance of assuring that the protective surface is deep enough, even if there is a layer of packed protective surface underneath that is not visible to observe the depth of it. The wood chips that are currently in the outdoor play area must be deep enough to prevent injuries. Deficiency is now compliant.			

General Comments
The Quality Assurance Monitor was on site to conduct the follow-up inspection. The deficiency is now compliant. The child to staff ratio was respected.

original signed by
Veronique Berube

Signature of Early Learning and Childcare Licensing Staff

July 03, 2025

Date

original signed by
Sarah Coulter

Signature of Operator/Designate

July 03, 2025

Date