

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | | |
|--|---------------------------|------------------------------------|--|
| Name of operator Northend Learning Center Inc. | Licence Number 2013611 | Inspection Date July 03, 2024 | |
| Facility Name Northend Learning Center 3 | | Telephone Number (506) 384-5437 | |
| Address 96 Gorge Road Moncton NB E1G 1E6 | | | |
| Name of Early Learning and Childcare Licensing Staff Roxanne Benoit | | Position Title Inspector | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|--------------|----------------------|----------------|
| 21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. | 21 | Jul 10, 2024 | |
| Comments: During the renewal inspection, the inspector observed that daily activities are not deliberately planned since June 10th in 1 of the 2 classrooms. The administrator must ensure that programming is deliberately planned and documented. | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, | 24(1)(b)(iv) | Jul 05, 2024 | Jul 03, 2024 |
| Comments: The inspector observed 2 out of 7 children's files verified that the 2-emergency contact has the same phone number. The administrator must ensure that the child's files are fully completed with the necessary information. While on site, the administrator received the information and was added into the child's file. Deficiency is now compliant | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records. | 24(1)(j) | Jul 10, 2024 | |
| Comments: During the renewal inspection, the inspector observes that the date of inspection, on the tag, of one of the 3 fire extinguishers is missing. The administrator must ensure that the fire extinguisher is inspected every 12 months. | | | |
| 31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. | 31(3) | Jul 08, 2024 | |
| Comments: During the renewal inspection, the inspector observed a wood log covering a part of the fence that is loose, to ensure no child could escape. While on site, educators were staying close to the fence. The operator must ensure that the wires and part of the loose fence is fixed in order to keep the outdoor play area enclosed and safe. | | | |

General Comments

The inspector observed children playing freely inside, having snacks and lunch. Some children's brought strings to do bracelets outside, while others played freely.

General Comments

The educators and children are practicing safety measures while walking outside, such as staying on the side of the facility and avoiding the parking lot.

The ratio is respected during the inspection.

original signed by
Roxanne Benoit

Signature of Early Learning and Childcare Licensing Staff

July 03, 2024

Date

original signed by
Stacy Lavoie

Signature of Operator/Designate

July 03, 2024

Date