

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | | |
|---|---------------------------|------------------------------------|----------------|
| Name of operator Get Active After School Inc. | Licence Number 2013626 | Inspection Date June 11, 2025 | |
| Facility Name Get Active After School | | Telephone Number (506) 472-9323 | |
| Address 180 Main Street Fredericton NB E3A 1C8 | | | |
| Name of Early Learning and Childcare Licensing Staff Laura Casey | | Position Title Inspector | |
| Order for Compliance | Regulation | Date to be corrected | Date corrected |
| 28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. | 28(2) | Jun 11, 2025 | Jun 11, 2025 |
| Comments: During inspection, a fire drill was conducted. The room was calm, and the children lined up quietly. Headcounts were observed and all rooms were cleared by Educators. Once outdoors, positive words of affirmation were heard, and the fire drill records were completed. Deficiency is now compliant | | | |

| |
|--|
| <p>General Comments</p> <p>Upon Licensing staff arrival for the annual renewal inspection, the children were beginning to arrive from school. Educators greeted the children as they entered the facility and attendance forms were completed.</p> <p>Children were observed hanging up their personal belongings and changing outdoor footwear prior to lunch. During lunch, the children sat together in the main room. Educators were observed engaging in conversation with the children and assisting with lunch packages. After lunch, Educators were observed sweeping the floor and cleaning the tables. Once lunch bags were all put away, children broke into small groups and were observed playing pool, boardgames, connect-four, stackable Tetris, chess, and drawing in the main room while another group was observed playing Wall Ball in the Warehouse. Educators were actively engaged with the children during free play. There was evidence of a routine as transition times were smooth.</p> <p>After free play, the children cleaned up their activity stations and began to prepare to walk to a nearby park. To help ease with crossing at the walk light, the group broke into smaller groups. Multiple headcounts were observed as the children lined up in the facility as well as when they went out the door. Water bottles, first aid backpacks and the attendance forms were taken to the park. When the children returned from the park, the children changed their footwear and started to play in the gym area before splitting into groups for tabletop activities and popcorn snacks.</p> <p>During inspection, child and staff files were verified and all required documentation was present. The parent board at the main entry was organized and required documentation was visibly posted. During inspection, multiple headcounts were observed, positive words of encouragement were heard and only positive child guidance.</p> |
|--|

| |
|--|
| General Comments |
| Licensing staff recommend for renewal. |

| | |
|--|----------------------|
| original signed by Laura Casey | June 16, 2025 |
| _____ Signature of Early Learning and Childcare Licensing Staff | _____ Date |

| | |
|--|----------------------|
| original signed by Alan Wigley | June 16, 2025 |
| _____ Signature of Operator/Designate | _____ Date |